

C			
Caparo	ol Amphisil		
Version 4.1	Revision Date: 11.05.2023	SDS Numbe 6003109	r: Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
SECTION	1: Identification of	the substan	ce/mixture and of the company/undertaking
1.1 Produ	ct identifier		
Trade	e name	: Caparol	Amphisil
1.2 Releva	ant identified uses of	the substance	or mixture and uses advised against
Use o	of the Sub- e/Mixture		orne coatings
Reco on us	mmended restrictions e	: within ad	equate application - none
1.3 Details	s of the supplier of th	e safety data s	sheet
Comp		: Caparol I Roßdörfe	Farben Lacke GmbH er Straße 50
Telep		64372 Ober-Ramstadt : +496154710	
Telefa	ax	: +496154	7170222
	ite il address Responsi- suing person	: : msds@d	r-rmi.com
	jency telephone		
Emerg	gency telephone 1	: +496132	84463 GBK GmbH
2.1 Classi	N 2: Hazards identifi ification of the substa sification (REGULATIO	nce or mixture	
Skins	sensitization, Category	1	H317: May cause an allergic skin reaction.
-	Long-term (chronic) aquatic hazard, Cat-		H412: Harmful to aquatic life with long lasting ef-

2.2 Label elements

egory 3

Labeling (REGULATION (EC) No 1272/2008)

fects.



Caparol Amphisil

Version 4.1	Revision Date: 11.05.2023	-	SDS Num 003109	nber:	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
Haz	ard pictograms	:	(!	>	
Sigr	nal Word	:	Warnir	ıg	
Haz	ard Statements	:	H317 H412		e an allergic skin reaction. aquatic life with long lasting effects.
Pred	cautionary Statements	:	P101 label a P102	t hand.	advice is needed, have product container or of reach of children.
			Prever	ntion:	
			P262 P273 P280	Avoid relea	in eyes, on skin, or on clothing. ase to the environment. ective gloves/ eye protection.
			Respo P302 + water.		ON SKIN: Wash with plenty of soap and

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one octhilinone (ISO) 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Caparol Amphisil

Version	Revision Date:	SDS Number:	Date of last issue: 16.01.2023
4.1	11.05.2023	6003109	Date of first issue: 30.10.2019

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Dispersion paint, aqueous, with film protection

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 	>= 0,0025 - < 0,025
octhilinone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-2120768921-45	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - < 0,025



Caparol Amphisil

rsion	Revision Date: 11.05.2023	SDS Number: 6003109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019	
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
			Acute toxicity esti- mate	
			Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	
terbut	ryn	886-50-0 212-950-5	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317	>= 0,0025 - 0,025
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
			specific concentration limit Skin Sens. 1; H317 >= 3 %	
2-met	hylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-212076469		>= 0,0025 - 0,025



Caparol Amphisil

sion	Revision Date: 11.05.2023	SDS Nu 6003109		e of last issue: 16.01.2023 e of first issue: 30.10.2019	
reaction	on mass of 5-chloro-2 1-2H-isothiazol-3-one 1-2H-isothiazol-3-one	- 55 and 2- (3:1) 61	965-84-9 3-167-00-5 -2120764691-48	EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 $\geq 0,0015 \%$ Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 $\geq 0,6 \%$ Skin Irrit. 2; H315 0,06 - < 0,6 % Skin Sens. 1A; H317	< 0,0002
	ances with a workplac lguhr, soda ash flux-c	alcined 68 27	limit : 855-54-9 2-489-0 -2119488518-22	>= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 1 - < 1



Caparol Amphisil

Version	Revision Date:	SDS Number:	Date of last issue: 16.01.2023
4.1	11.05.2023	6003109	Date of first issue: 30.10.2019

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Risks	:	May cause an allergic skin reaction.
-------	---	--------------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1	Extinguishing	media
-----	---------------	-------

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing	:	None known.



Caparol Amphisil Version Revision Date: SDS Number: Date of last issue: 16.01.2023 11.05.2023 6003109 Date of first issue: 30.10.2019 4.1 media 5.2 Special hazards arising from the substance or mixture Specific hazards during fire In case of fire hazardous decomposition products may be : produced such as: fighting Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). 5.3 Advice for firefighters Special protective equipment : Wear self-contained breathing apparatus for firefighting if necfor fire-fighters essary. Further information Use water spray to cool unopened containers. : Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive	e equipment and emergency procedures
Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for co	ontai	nment and cleaning up
Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel

acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Preca	autions f	or safe	handling
-----------	-----------	---------	----------

Advice on safe handling	: Use only with adequate ventilation.
	For personal protection see section 8.
	No special technical protective measures required.



Caparo	Caparol Amphisil					
Version 4.1	Revision Date: 11.05.2023		DS Number: 003109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019		
Hygier	ne measures	:	and its application Wash hands beford drink or smoke with	arrent technical information for this product on on www.caparol.com must be observed. are eating, drinking, or smoking. Do not eat, hen using this product. Remove contaminat- rotective equipment before entering eating		
7.2 Conditi	ons for safe storage,	inc	luding any incom	patibilities		
Requirements for storage areas and containers		:	in heat or direct s original container	en. To maintain product quality, do not store unlight. Store at room temperature in the . Containers which are opened must be care- d kept upright to prevent leakage.		
Advice on common storage		:	Keep away from materials.	oxidizing agents and strongly acid or alkaline		
Storag	e class (TRGS 510)	:	12			
•	c end use(s) ic use(s)	:	This information i	s not available.		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				



Caparol Amphisil

Vers 4.1	sion Revision I 11.05.202			ate of last issue: 16.01.20 ate of first issue: 30.10.20	
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
	Kieselguhr, soda ash flux-calcined	68855-54-9	AGW (Alveolate fraction)	0,3 mg/m3	DE TRGS 900
				s compliance with the OE of harming the unborn chi	
	octhilinone (ISO)	26530-20-1	AGW (Inhalable fraction)	0,05 mg/m3	DE TRGS 900
Γ	Peak-limit category: 2;(I)				<u>.</u>
Further information: Skin absorption, When there is compli and biological tolerance values, there is no risk of harming					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
calcium carbonate	Consumers	Ingestion	Long-term systemic effects	6,10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	6,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
•	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kieselguhr, soda ash flux-calcined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m3
[(butoxymethyleth- oxy)methylethoxy]pro pan-1-ol	Consumers	Ingestion	Long-term systemic effects	25,00 mg/kg bw/day
·	Consumers	Skin contact	Long-term systemic effects	25,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	50,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium carbonate	Sewage treatment plant	100 mg/l
titanium dioxide; [in powder form	Sewage treatment plant	100 mg/l



Caparol Amphisil

rsion	Revision Date: 11.05.2023	SDS Number: 6003109	Date of last issue: Date of first issue:	
	ining 1 % or more of p vith aerodynamic dian n]			
		Fresh water		0,184 mg/l
		Soil		100 mg/kg dry weight (d.w.)
		Sea water		0,0184 mg/l
		Fresh water	sediment	1000 mg/kg dr weight (d.w.)
		Sea sedimer	nt	100 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	0,193 mg/l
Kiese calcin	lguhr, soda ash flux- ned	Sewage trea	tment plant	100 mg/l
	oxymethyleth- nethylethoxy]propan-1	-ol	ise/release	5,64 mg/l
		Fresh water	sediment	2,59 mg/kg dry weight (d.w.)
		Fresh water		0,564 mg/l
		Sewage trea	tment plant	100 mg/l
		Sea water		0,0564 mg/l
		Sea sedimer	nt	0,259 ng/kg dr weight (d.w.)
		Soil		0,188 mg/kg di weight (d.w.)

8.2 Exposure controls

Personal protective equipm Eye/face protection	ent :	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.



Caparo	ol Amphisil		
Version 4.1	Revision Date: 11.05.2023	SDS Number: 6003109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
Resp	iratory protection	During spray a : No personal re quired. DGUV Regula During spray a	wash contaminated clothing before re-use. application: impervious clothing espiratory protective equipment normally re- ation 112-190 - Use of breathing equipment application: Do not breathe spray dust. Use ation filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n-	:	not determined



Caparol Amphisil

Version 4.1	Revision Date: 11.05.2023	SDS Number: 6003109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
octar	nol/water		
Vapo	or pressure	ure : ca. 23,4 hPa (20 °C)	
Dens	sity	: 1,6200 g/cm3	
Rela	tive vapor density	: not determine	d
9.2 Other information Explosives Oxidizing properties		: Not applicable : Not applicable	
Flam	mability (liquids)	: The product is	s not flammable.
Evap	poration rate	: Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
10.4 Conditions to avoid Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials Materials to avoid	:	Incompatible with acids and bases.

Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.



Caparol Amphisil

rsion	Revision Date: 11.05.2023	SDS 6003	Number: 109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
Comp	oonents:			
1.2-be	enzisothiazol-3(2H)-	one:		
•	oral toxicity		D50 (Rat): 5	532 mg/kg
Acute	inhalation toxicity	E	C50 (Rat): 0 xposure tim est atmosph	
Acute	dermal toxicity	: L[D50 (Rat): >	> 2.000 mg/kg
octhil	inone (ISO):			
Acute	oral toxicity	Μ		r estimate: 125 mg/kg te toxicity estimate according to Regulation (EC) 08
Acute	inhalation toxicity	Te M	est atmosph	estimate: 0,27 mg/l here: dust/mist te toxicity estimate according to Regulation (EC) 08
Acute	dermal toxicity	Μ	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (No. 1272/2008	
terbut	tryn:			
Acute	oral toxicity	: L[D50 Oral (R	at): > 300 mg/kg
Acute	dermal toxicity	: LI	050 Dermal	(Rat): > 2.000 mg/kg
2-met	hylisothiazol-3(2H)-	one:		
	oral toxicity		D50 (Rat): 1	20 mg/kg
Acute	inhalation toxicity	E	C50 (Rat): 0 xposure tim est atmosph	
reacti (3:1):	on mass of 5-chloro	-2-methy	/I-2H-isothi	iazol-3-one and 2-methyl-2H-isothiazol-3-one
Acute	oral toxicity		D50 (Rat): 6 ethod: OEC	66 mg/kg CD Test Guideline 401
Acute	inhalation toxicity	E: Te		



Caparol Amphisil

Version 4.1	Revision Date: 11.05.2023	-	S Number: 03109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019			
Acute	Acute dermal toxicity		LD50 (Rat): > 2 Method: OECD	41 mg/kg Test Guideline 402			
	corrosion/irritation lassified based on ava	ilable i	information.				
	ous eye damage/eye i lassified based on ava						
Resp	iratory or skin sensit	tizatio	n				
-	sensitization cause an allergic skin i	reactio	n.				
•	Respiratory sensitization Not classified based on available information.						
	Germ cell mutagenicity Not classified based on available information.						
	Carcinogenicity Not classified based on available information.						
	Reproductive toxicity Not classified based on available information.						
	STOT-single exposure Not classified based on available information.						
	STOT-repeated exposure Not classified based on available information.						
-	ration toxicity lassified based on ava	ilable i	information.				
1.2 Infor	mation on other haza	ards					
Endo	ocrine disrupting pro	perties	5				
<u>Prod</u> Asse	<u>uct:</u> ssment	:	ered to have er REACH Article	/mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.			

SECTION 12: Ecological information

12.1 Toxicity

Product:



Caparol Amphisil

ersion .1	Revision Date: 11.05.2023		0S Number: 03109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
	ty to daphnia and other ic invertebrates	:	End point: Imm Exposure time: Test Type: stat	48 h
Toxici plants	ty to algae/aquatic	:	ErC50 (Pseudokirchneriella subcapitata (green algae) mg/l End point: Growth inhibition Exposure time: 72 h Test Type: Cell multiplication inhibition test Method: OECD Test Guideline 201 GLP: no	
Ecoto	oxicology Assessment			
Chron	ic aquatic toxicity	:	Harmful to aqu	atic life with long lasting effects.
<u>Comp</u>	oonents:			
	enzisothiazol-3(2H)-one	e:		
Toxici	ty to fish	:	Exposure time:	nchus mykiss (rainbow trout)): 2,2 mg/l 96 h 9 Test Guideline 203
	ty to daphnia and other ic invertebrates	:	Exposure time:	
Toxici plants	ty to algae/aquatic	:	Exposure time:	trum capricornutum (green algae)): 0,11 mg/l 72 h 9 Test Guideline 201
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
octhil	inone (ISO):			
M-Fac icity)	ctor (Acute aquatic tox-	:	100	
M-Fac toxicit	ctor (Chronic aquatic y)	:	100	

terbutryn:



Caparol Amphisil

Versio 4.1	n	Revision Date: 11.05.2023	-	OS Number: 03109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
	1-Facto city)	or (Acute aquatic tox-	:	100	
	1-Facto oxicity)	or (Chronic aquatic	:	100	
2.	-meth	ylisothiazol-3(2H)-on	e:		
Μ			:	10	
	1-Facto oxicity)	or (Chronic aquatic	:	1	
	eactio 3:1):	n mass of 5-chloro-2	-me	ethyl-2H-isothiaz	ol-3-one and 2-methyl-2H-isothiazol-3-one
	I-Facto city)	or (Acute aquatic tox-	:	100	
	1-Facto oxicity)	or (Chronic aquatic	:	100	
		tence and degradabil a available	ity		
12.3 B	Bioacc	umulative potential			
<u>C</u>	ompo	onents:			
0	cthilir	none (ISO):			
Р	artitio	n coefficient: n- /water	:	log Pow: 2,92 Method: OECD	Test Guideline 117
te	erbutr	vn:			
Р	artitio	n coefficient: n- /water	:	log Pow: 3,66	
	eactio 3:1):	n mass of 5-chloro-2	-me	ethyl-2H-isothiaz	ol-3-one and 2-methyl-2H-isothiazol-3-one
P	artitio	n coefficient: n- /water	:	log Pow: <= 0,7 Method: OECD	1 Test Guideline 117
		y in soil			
N	lo data	a available			

12.5 Results of PBT and vPvB assessment

Product:

• · · · · ·



Assessme	nt	:	This substance/m	
			to be either persis	hixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Endocrine	e disrupting prope	rtie	S	
Product:				
Assessme	nt	:	ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
12.7 Other adv	verse effects			
Product: Additional mation	ecological infor-	:	Harmful to aquation effects in the aquation	c organisms, may cause long-term adverse atic environment.

Waste should not be disposed of via wastewater.

: Only completely emptied containers should be given for recy-

080112, waste paint and varnish other than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

Contaminated packaging

Product

Waste Code

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

: .

:

cling.

used product

in 08 01 11*



Version 4.1	Revision Date: 11.05.2023	SDS Numb 6003109	er: Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
14.2 UN p	roper shipping nam	e	
ADN		: Not reg	ulated as a dangerous good
ADR		: Not reg	ulated as a dangerous good
RID		: Not reg	ulated as a dangerous good
IMDG	6	: Not reg	ulated as a dangerous good
ΙΑΤΑ		: Not reg	ulated as a dangerous good
14.3 Tran	sport hazard class(e	es)	
ADN		: Not reg	ulated as a dangerous good
ADR		: Not reg	ulated as a dangerous good
RID		: Not reg	ulated as a dangerous good
IMDG	6	: Not reg	ulated as a dangerous good
ΙΑΤΑ		: Not reg	ulated as a dangerous good
14.4 Pack	ing group		
ADN		: Not reg	ulated as a dangerous good
ADR		: Not reg	ulated as a dangerous good
RID		: Not reg	ulated as a dangerous good
IMDG	6	: Not reg	ulated as a dangerous good
ΙΑΤΑ	(Cargo)	: Not reg	ulated as a dangerous good
ΙΑΤΑ	(Passenger)	: Not reg	ulated as a dangerous good
	ronmental hazards	ous good	
14.6 Spec	ial precautions for u	iser	
Rema	arks	: Not cla lations.	ssified as dangerous in the meaning of transport reg

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 3



Cap	oarol Amphisil		
Versi 4.1	ion Revision Date: 11.05.2023	SDS Number: 6003109	Date of last issue: 16.01.2023 Date of first issue: 30.10.2019
			formaldehyde (Number on list 72, 28)
	REACH - Candidate List of Concern for Authorization (High : This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	Regulation (EC) No 1005/2 plete the ozone layer	009 on substances th	nat de- : Not applicable
	Regulation (EU) 2019/1021 tants (recast)	on persistent organi	c pollu- : Not applicable
	REACH - List of substance (Annex XIV)	s subject to authorisa	tion : None
	Seveso III: Directive 2012/ [,] pean Parliament and of the control of major-accident he dangerous substances.	Council on the	Not applicable
	Water hazard class (Germa ny)		ly water endangering according to AwSV, Annex 1 (5.2)
	Product code for laquers an paints / Giscode	nd : M-DF02F Wa	ter-based paints, active agents
		: BSW50 Coati film-protected	ng materials, water-based, containing solvents,
	Volatile organic compound	s : Directive 2004 < 0.1 % < 1 g/l	4/42/EC

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

Caparol Amphisil

Version	Revision Date:	SDS Number:	Date of last issue: 16.01.2023
4.1	11.05.2023	6003109	Date of first issue: 30.10.2019

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.

Full text of other abbreviations

Aquatic Acute:Aquatic Chronic:Carc.:Eye Dam.:Skin Corr.:Skin Irrit.:Skin Sens.:DE TRGS 527:DE TRGS 900:DE TRGS 527 / BM:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Assessment scale Time Weighted Average
--	--

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil de for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil Viatiation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Sold of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -

Further information Other information:





Caparol Amphisil

Version	Revision Date:	SDS Number:	Date of last issue: 16.01.2023
4.1	11.05.2023	6003109	Date of first issue: 30.10.2019

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixtur	re:	Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN