Capalac SuperWeiß Altweiß



Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023
2.1	08.06.2024	6007462	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Capalac SuperWeiß Altweiß		
1 2	Polovant identified uses of th		whetenes or mixture and uses advised against		
1.2	Use of the Sub- stance/Mixture	:	substance or mixture and uses advised against Solvent-borne coatings		
	Recommended restrictions on use	:	within adequate application - none		
1.3	Details of the supplier of the	saf	ety data sheet		
	Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt		
	Telephone	:	+496154710		
	Telefax	:	+4961547170222		
	Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com		
1.4	Emergency telephone				
	Emergency telephone 1	:	+49613284463 GBK GmbH		
SECTION 2: Hazards identification					
2.1	2.1 Classification of the substance or mixture				
	Classification (REGULATION (EC) No 1272/2008)				
	-	-	-		

•	· · ·	
Flammable liquids, Catego	ry 3	H226: Flammable liquid and vapor.

2.2 Label elements

Signal Word

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Hazard Statements

Flammable liquid and vapor.

Capalac SuperWeiß Altweiß



Version 2.1	Revision Date: 08.06.2024	-	DS Number: 007462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019
Supplemental Hazard Statements		:	EUH066	Repeated exposure may cause skin dryness or cracking.
Preca	Precautionary Statements		P101	If medical advice is needed, have product con- tainer or label at hand.
			P102	Keep out of reach of children.
			Prevention	:
			P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
			Response:	
			P303 + P36	1 + P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
			P370 + P37	8 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
			Disposal:	
			P501	Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

EUH208 Contains phthalic anhydride. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Classification	Concentration
	Classification

Capalac SuperWeiß Altweiß



Version	Revisior
2.1	08.06.20

n Date: 024 SDS Number: 6007462

Date of last issue: 25.01.2023 Date of first issue: 14.11.2019

	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 20 - < 30
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 μm]	01-2119489379-17		
Naphtha (petroleum), hydrotreat-	64742-48-9	Asp. Tox. 1; H304	>= 10 - < 20
ed heavy; Low boiling point ydro-	265-150-3	EUH066	
gen treated naphtha	649-327-00-6		
	01-2119457273-39,		
	01-2119463258-33,		
	01-2119486659-16		
Naphtha (petroleum), hydrotreat-	64742-48-9	Flam. Liq. 3; H226	>= 1 - < 10
ed heavy; Low boiling point ydro-	265-150-3	STOT SE 3; H336	
gen treated naphtha	649-327-00-6	Asp. Tox. 1; H304	
	01-2119457273-39,	EUH066	
	01-2119463258-33		
phthalic anhydride	85-44-9	Acute Tox. 4; H302	>= 0,1 - < 1
	201-607-5	Skin Irrit. 2; H315	
	607-009-00-4	Eye Dam. 1; H318	
	01-2119457017-41	Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
propylidynetrimethanol	77-99-6	Repr. 2; H361fd	>= 0,1 - < 1
	201-074-9		
	01-2119486799-10		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	If symptoms persist, call a physician. Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

Capalac SuperWeiß Altweiß



Version 2.1	Revision Date: 08.06.2024		0S Number: 07462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019		
			rinsing.			
If swallowed		:	: Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.			
I.2 Most i	mportant symptoms a	nd e	effects, both acu	ite and delayed		
Risks		•	Repeated expo	sure may cause skin dryness or cracking.		
1.3 Indica	tion of any immediate	med	dical attention a	nd special treatment needed		
Treat	ment	:	No information	available.		
SECTION	I 5: Firefighting mea	sur	es			
E 4 Eustina						
-	uishing media					
Suitable extinguishing media		:	cumstances an Use water spra bon dioxide.	ng measures that are appropriate to local cir- d the surrounding environment. y, alcohol-resistant foam, dry chemical or car lid water stream as it may scatter and spread		
Unsuitable extinguishing : media		:	None known.			
5.2 Specia	al hazards arising from	n the	e substance or r	nixture		
Speci fightir	fic hazards during fire ng	:				
5.3 Advice	e for firefighters					
•	al protective equipment e-fighters	:	In the event of	ire, wear self-contained breathing apparatus.		
	Further information					

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions	:	Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Remove all sources of ignition.	

Capalac SuperWeiß Altweiß



Version 2.1	Revision Date: 08.06.2024	SDS Number: 6007462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019					
6.2 Enviro	6.2 Environmental precautions							
Enviro	onmental precautions	If the product co respective author	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.					
6.3 Methods and material for containment and cleaning up								
Metho	ds for cleaning up	Soak up with ine	, closed containers for disposal. ert absorbent material (e.g. sand, silica gel, rersal binder, sawdust).					

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1 Treedutions for sale handling	
Advice on safe handling :	Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on protection against : fire and explosion	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures :	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec- tive equipment before entering eating areas.
7.2 Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage : areas and containers	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510) :	3
7.3 Specific end use(s) Specific use(s) :	This information is not available.

Capalac SuperWeiß Altweiß



Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023
2.1	08.06.2024	6007462	Date of first issue: 14.11.2019

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis			
		of exposure)					
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
diameter ≤ 10 µm]							
	that are consideration that are consideration to the constant of the constant	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					
		AGW (Inhalable	10 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit cat	/					
	Further information: When there is compliance with the OEL and biological						
	tolerance values, there is no risk of harming the unborn child						
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit category: 2;(II)						
	Further information: When there is compliance with the OEL and biological						
	tolerance values, there is no risk of harming the unborn child						
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527			
Naphtha (petrole- um), hydrotreated heavy; Low boiling point ydrogen treated naphtha	64742-48-9	AGW	300 mg/m3	DE TRGS 900			
	Peak-limit category: 2;(II)						
			ure limit for hydrocarbon sol	vent mixtures			
Naphtha (petrole- um), hydrotreated heavy; Low boiling point ydrogen treated naphtha	64742-48-9	AGW	300 mg/m3	DE TRGS 900			
•	Peak-limit category: 2;(II)						
			ure limit for hydrocarbon sol	vent mixtures			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day

Capalac SuperWeiß Altweiß



VersionRevision Date:.108.06.2024		SDS Nur 6007462		Date of last issue: 25.01.2023 Date of first issue: 14.11.2019		
	les with aerody- c diameter ≤ 10					
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3	
phtha	lic anhydride	Consumers	Inhalation	Long-term systemic effects	8,60 mg/m3	
		Consumers	Ingestion	Long-term systemic effects	5,00 mg/kg bw/day	
		Consumers	Skin contact	Long-term systemic effects	5,00 mg/kg bw/day	
		Workers	Inhalation	Long-term systemic effects	32,20 mg/m3	
		Workers	Skin contact	Long-term systemic effects	10,00 mg/kg bw/day	
propy nol	lidynetrimetha-	Workers	Inhalation	Long-term systemic effects	3,3 mg/m3	
		Workers	Skin contact	Long-term systemic effects	0,94 mg/kg bw/day	
		Consumers	Inhalation	Long-term systemic effects	0,58 mg/m3	
		Consumers	Skin contact	Long-term systemic effects	0,34 mg/kg bw/day	
		Consumers	Ingestion	Long-term systemic effects	0,34 mg/kg bw/day	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
phthalic anhydride	Soil	0,173 mg/kg dry weight (d.w.)
	Fresh water sediment	3,8 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Intermittent use/release	5,6 mg/l
	Sea sediment	0,38 mg/kg dry weight (d.w.)
	Sea water	0,1 mg/l
	Fresh water	1 mg/l

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capalac SuperWeiß Altweiß



Version	Revision Da
2.1	08.06.2024

Date: SDS Number: 6007462

Date of last issue: 25.01.2023 Date of first issue: 14.11.2019

propylidynetrimethanol	Fresh water	1 mg/l
	Sewage treatment plant	100 mg/l
	Sea sediment	0,351 mg/kg dry weight (d.w.)
	Sea water	0,1 mg/l
	Soil	0,241 mg/kg dry weight (d.w.)
	Fresh water sediment	3,505 mg/kg dry weight (d.w.)
	Intermittent use/release	10 mg/l

8.2 Exposure controls

Personal protective equipment						
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection				
		Goggles				
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3				
Remarks	:	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves				
Skin and body protection	:	Safety shoes Long sleeved clothing				
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
		Skin should be washed after contact.				
		During spray application: impervious clothing				
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.				
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.				
		DGUV Regulation 112-190 - Use of breathing equipment				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Capalac SuperWeiß Altweiß



Ver 2.1	sion	Revision Date: 08.06.2024		S Number:)7462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019
	Physical state		:	liquid	
	Color		:	white	
	Odor		:	No data available	9
	Odor T	hreshold	:	Not relevant	
	Melting	point/freezing point	:	not determined	
	Boiling	point/boiling range	:	not determined	
		explosion limit / Upper ability limit	:	not determined	
	Lower explosion limit / Lower flammability limit		:	not determined	
	Flash point		:	50,5 °C	
	Autoignition temperature		:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	6,95 Concentration: 1	0 %
	Viscosi Visc	ity cosity, dynamic	:	No data available	9
	Viso	cosity, kinematic	:	> 20,5 mm2/s (4) °C)
	Flow tir	ne	:	> 60 s at 23 °C Cross section: 6 Method: ISO 243	
	Solubili Wat	ity(ies) ter solubility	:	partly miscible	

Capalac SuperWeiß Altweiß



Version 2.1	Revision Date: 08.06.2024	SDS Number: 6007462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019	
Partition coefficient: n- octanol/water		: not determined	3	
Va	por pressure	: not determined	3	
Re	lative density	: not determined	1	
De	nsity	: 1,2750 g/cm3		
Re	lative vapor density	: Heavier than a	ir.	
	er information plosives	: Not applicable		
Ox	idizing properties	: Not applicable		
Fla	nmability (liquids)	: Sustains comb	pustion	
Ev	aporation rate	: Not applicable		

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.

Capalac SuperWeiß Altweiß



Version Revision Date: 2.1 08.06.2024

n Date: 024 Date of last issue: 25.01.2023 Date of first issue: 14.11.2019

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

SDS Number:

6007462

Acute toxicity

Not classified based on available information.

Components:

phthalic anhydride:

Acute oral toxicity : LD50 (Rat): 1.530 mg/kg

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties Not classified based on available information.

Product:

Capalac SuperWeiß Altweiß



Version 2.1	Revision Date: 08.06.2024	SDS Number: 6007462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019	
Assessment		ered to hav REACH Art (EU) 2017/	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
SECTION	12: Ecological inf	ormation		
12.2 Persi No da	city ata available i stence and degrada ata available ccumulative potentia	-		
	oonents:			
		rotreated heavy;	Low boiling point ydrogen treated naphtha:	
	ion coefficient: n- ol/water	: log Pow: 1, pH: 7	99 - 18,02 (20 °C)	
Naph	tha (petroleum), hyd	rotreated heavy;	Low boiling point ydrogen treated naphtha:	
	ion coefficient: n- ol/water	: log Pow: 1, pH: 7	99 - 18,02 (20 °C)	
12.4 Mobi No da	lity in soil ata available			

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Capalac SuperWeiß Altweiß



Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023
2.1	08.06.2024	6007462	Date of first issue: 14.11.2019
Additi matio	onal ecological infor- n		al hazard cannot be excluded in the event of nandling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

J .	waste treatment methods		
	Product :		Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	UN 1263	
	ADR	:	UN 1263	
	RID	:	UN 1263	
	IMDG	:	UN 1263	
	ΙΑΤΑ	:	UN 1263	
14.	2 UN proper shipping name			
	ADN	:	PAINT	
	ADR	:	PAINT	
	RID	:	PAINT	
	IMDG	:	PAINT	
	ΙΑΤΑ	:	Paint	
14.:	3 Transport hazard class(es)			
			Class	Subsidiary risks
	ADN	:	3	
	ADR	:	3	
	RID	:	3	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capalac SuperWeiß Altweiß



Vers 2.1	ion	Revision Date: 08.06.2024		S Number: 07462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019
	IMDG			3	
	IATA		:	3	
		ig group	•	0	
	ADN				
	Packin Classifi	g group ication Code I Identification Number	:	III F1 30 3	
	Classifi Hazard Labels	g group ication Code I Identification Number restriction code		III F1 30 3 (D/E)	
	Classifi	g group ication Code I Identification Number	: :	III F1 30 3	
	IMDG Packing Labels EmS C	g group ode	:	III 3 F-E, <u>S-E</u>	
	aircraft Packing	g instruction (cargo		366 Y344 III Flammable Liquid	S
	IATA (I	Passenger) g instruction (passen-	:	355	
	Packing	g instruction (LQ) g group	:	Y344 III Flammable Liquid	s
14.5	Enviro	nmental hazards			
	ADN Enviror	nmentally hazardous	:	no	
	ADR Enviror	nmentally hazardous	:	no	
	RID Enviror	nmentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	

Capalac SuperWeiß Altweiß



Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023
2.1	08.06.2024	6007462	Date of first issue: 14.11.2019

14.6 Special precautions for user

Remarks

ADR: Packages smaller than or equal to 450 liters, not goods/merchandise of Class 3 IMDG: Packages smaller than or equal to 450 liters, not goods/merchandise of Class 3

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

2

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Restrictions on the manufacture, placi the market and use of certain dangerous substa mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
			If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very Concern for Authorization (Article 59).	High	:	None
Regulation (EC) on substances that deplete the layer	ozone	:	Not applicable
Regulation (EU) 2019/1021 on persistent organitants (recast)	ic pollu-	:	Not applicable
REACH - List of substances subject to authorisa (Annex XIV)	ation	:	None
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	P5c	FLA	AMMABLE LIQUIDS
	34	anc (inc (inc hea	roleum products: (a) gasolines I naphthas, (b) kerosenes cluding jet fuels), (c) gas oils cluding diesel fuels, home ating oils and gas oil blending eams),(d) heavy fuel oils (e)

Capalac SuperWeiß Altweiß



Version 2.1			SDS Number: 6007462		Date of last issue: 25.01.2023 Date of first issue: 14.11.2019	
					alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	
Wate ny)	Water hazard class (Germa- ny)		WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)			
	Product code for laquers and paints / Giscode		M-LL01 Alkyd res	in v	arnishes, aromatics removed	
			BSL20 Coating m sified	ate	rials, solvent-based, aromatic-free, clas-	
Vola	Volatile organic compounds		emissions (integra	atec	of 24 November 2010 on industrial pollution prevention and control) pounds (VOC) content: 22,66 %	
Vola	tile organic compounds	:	Directive 2004/42 < 23 % < 290 g/l	/EC	:	

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226 :	Flammable liquid and vapor.
H302 :	Harmful if swallowed.
H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H334 :	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335 :	May cause respiratory irritation.
H336 :	May cause drowsiness or dizziness.
H351 :	Suspected of causing cancer if inhaled.
H361fd :	Suspected of damaging fertility. Suspected of damaging the

Capalac SuperWeiß Altweiß



Version 2.1	Revision Date: 08.06.2024		0S Number: 07462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019
EUH00 Full te Acute Asp. T Carc. Eye Da Flam. Repr. Resp. Skin Ir Skin S STOT DE DF DE TR DE TR DE TR	56 xt of other abbreviat i Tox. ox. am. Liq. Sens. rit. ens.	ions	unborn child. Repeated exposu Acute toxicity Aspiration hazard Carcinogenicity Serious eye dama Flammable liquids Reproductive toxi Respiratory sensi Skin irritation Skin sensitization Specific target org Germany. MAK B Germany. TRGS	re may cause skin dryness or cracking. age city tization gan toxicity - single exposure AT Annex IIa 527 - Activities with nanomaterials 900 - Occupational exposure limit values.
DETR	GS 900 / AGW	:	Time Weighted A	verage

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipty and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Internation of Pollution for Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CEO - Organization; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CEO - Organization, NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CEO - Organization for 1007/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authoris

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities

Capalac SuperWeiß Altweiß



Version 2.1	Revision Date: 08.06.2024	SDS Number: 6007462	Date of last issue: 25.01.2023 Date of first issue: 14.11.2019
		GESTIS - Datat Arbeitsschutz de (IFA, Institute fo man Social Acc	rous properties of industrial materials base on hazardous substances - Institut für er Deutschen Gesetzlichen Unfallversicherung or Occupational Safety and Health of the Ger- ident Insurance) logy Data Network
Class	sification of the mixtur	e.	Classification procedure:

Classification of the mixture:		
Flam. Liq. 3	H226	

Classification procedure: Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN