# DisboADD 261



Version	Revision Date:	SDS Number:	Date of last issue: 01.04.2021
2.0	14.05.2024	6024613	Date of first issue: 01.04.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	<b>Product identifier</b> Trade name	:	DisboADD 261
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
	Telephone	:	+496154710
	Telefax	:	+4961547170222
	Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4	Emergency telephone		
	Emergency telephone 1	:	+49613284463 GBK GmbH

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapor.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





# DisboADD 261

ate of last issue: 01.04.2021 ate of first issue: 01.04.2021
mmable liquid and vapor. erious eye irritation. e drowsiness or dizziness.
ay from heat, hot surfaces, sparks, open nd other ignition sources. No smoking. tainer tightly closed. eathing mist or vapors. e protection/ face protection.
IF ON SKIN (or hair): Take off immedi- ontaminated clothing. Rinse skin with e of fire: Use dry sand, dry chemical or esistant foam to extinguish.

## Hazardous ingredients which must be listed on the label:

propan-2-ol titanium tetraisopropanolate

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

eempenente			
Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(70 00/00)



# DisboADD 261

Version 2.0	Revision Date: 14.05.2024	SDS Number: 6024613	Date of last issue: 01.04.20 Date of first issue: 01.04.20	
propa	an-2-ol	Registration r 67-63-0	number Flam. Liq. 2; H225	>= 90 - <= 100
		200-661-7 603-117-00-0 01-21194575	Eye Irrit. 2; H319 STOT SE 3; H336	
titanii	titanium tetraisopropanolate		Flam. Liq. 3; H226 Eye Irrit. 2; H319 55-19, STOT SE 3; H336 89-17, (Central nervous 61-62, system) 88-18	>= 1 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled	:	Call a physician. If breathing is irregular or stopped, administer artificial respira- tion. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. Move to fresh air.		
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.		
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Most important symptoms and effects, both acute and delayed				

Risks	:	Causes serious eye irritation.
		May cause drowsiness or dizziness.

# DisboADD 261



Versior 2.0	n Revision Date: 14.05.2024		9S Number: 24613	Date of last issue: 01.04.2021 Date of first issue: 01.04.2021
4.3 Ind	lication of any immediate	med	lical attention and	special treatment needed
Tr	eatment	:	No information av	ailable.
SECT	ION 5: Firefighting meas	sur	es	
5.1 Ext	tinguishing media			
Su	uitable extinguishing media	:	cumstances and f Use water spray, bon dioxide.	measures that are appropriate to local cir- the surrounding environment. alcohol-resistant foam, dry chemical or car- d water stream as it may scatter and spread
	nsuitable extinguishing edia	:	None known.	
5.2 Sp	ecial hazards arising from	the	substance or mi	xture
	becific hazards during fire hting	:	In case of fire haz produced such as	iners exposed to fire with water spray. cardous decomposition products may be c: e, carbon dioxide and unburned hydrocar-
5.3 Ad	vice for firefighters			
	pecial protective equipment r fire-fighters	:	In the event of fire	e, wear self-contained breathing apparatus.
Fu	urther information	:	Standard procedu	ire for chemical fires.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Do not get in eyes, on skin, or on clothing.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> </ul>

In the event of fire and/or explosion do not breathe fumes.

## 6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform
		respective authorities. Do not flush into surface water or sanitary sewer system.
		Do not hush into surface water of sanitary sewer system.

# DisboADD 261



Version	Revision Date:	SDS Number:	Date of last issue: 01.04.2021
2.0	14.05.2024	6024613	Date of first issue: 01.04.2021

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.	
Soak up with inert absorbent material (e.g. sand, sil acid binder, universal binder, sawdust).	ica gel,

## 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Specific use(s)	:	This information is not available.
7.3 Specific end use(s)		
Storage class (TRGS 510)	:	3
Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Hygiene measures	:	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec- tive equipment before entering eating areas.
Advice on protection against fire and explosion	:	Vapors may form explosive mixtures with air. Vapors are heavier than air and may spread along floors. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on safe handling	:	Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Occupational Exposure Limits

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# **DisboADD 261**

Ver 2.0	sion	Revision Dat 14.05.2024	te: SDS 6024		ate of last issue: 01.04.2021 ate of first issue: 01.04.2021	
	Compo	nents	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
	propan-	-2-ol	67-63-0	AGW	200 ppm 500 mg/m3	DE TRGS 900
			Peak-limit cat	egory: 2;(II)		
	Further information: When there is compliance with the OEL and biologic			nd biological		
	tolerance valu		alues, there is no risk of harming the unborn child			
				MAK	200 ppm	DE DFG MAK
					500 mg/m3	
	Further information: Damage to the embryo or foetus is unlikely when the				y when the	
			MAK value or the BAT value is observed			

## **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
propan-2-ol	67-63-0	Acetone: 25 mg/l (Blood)	Immediately after exposure or after working hours	TRGS 903
		Acetone: 25 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903
		Acetone: 25 mg/l (Blood)	Immediately after exposition or after working hours	DE DFG BAT
		Acetone: 25 mg/l (Urine)	Immediately after exposition or after working hours	DE DFG BAT

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	· /	• •	· /	
Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
propan-2-ol	Consumers	Skin contact	Long-term systemic effects	319,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	89,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	26,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	500,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	888,00 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value		
propan-2-ol	Sewage treatment plant	2251 mg/l	
	Fresh water sediment	552 mg/kg dry	
		weight (d.w.)	
	Sea sediment	552 mg/kg dry	
		weight (d.w.)	
	Fresh water	140,9 mg/l	
	Intermittent use/release	140,9 mg/l	
	Soil 28 mg		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboADD 261

Version 2.0	Revision Date: 14.05.2024		OS Number: 24613	Date of last issue: 01.04.2021 Date of first issue: 01.04.2021
			Secondary Po	
8 2 Expos	sure controls		Sea water	140,9 mg/l
-	onal protective equip	mont		
	ace protection	:	DGUV Regulati	on 112-192 - Use of eye and face protection
			Tightly fitting sa	fety goggles
M G	l protection aterial love thickness rotective index	:	Nitrile rubber 0,2 mm Class 3	
R	emarks	:	cation of degrad moving gloves of ble gloves teste	be discarded and replaced if there is any indi- lation or chemical breakthrough. Before re- clean them with soap and water. Wear suita- d to EN374. on 112-195 - Use of protective gloves
Skin	and body protection	:	Safety shoes Long sleeved cl	othing
				otection according to the amount and con- e dangerous substance at the work place.
			Skin should be	washed after contact.
			During spray ap	plication: impervious clothing
Resp	iratory protection	:	used under con	on or brushing: This product should not be ditions of poor ventilation unless a protective opropriate gas filter (i.e. type A1 according to 387) is used.
				plication: Do not breathe spray dust. Use ion filter for paint spraying.
			DGUV Regulati	on 112-190 - Use of breathing equipment

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color



# DisboADD 261

Vers 2.0	sion	Revision Date: 14.05.2024		S Number: 24613	Date of last issue: 01.04.2021 Date of first issue: 01.04.2021
	Odor		:	No data available	)
	Odor Th	reshold	:	Not relevant	
	Melting	point/freezing point	:	not determined	
	Boiling p	point/boiling range	:	82 °C	
		xplosion limit / Upper pility limit	:	12 %(V)	
		xplosion limit / Lower pility limit	:	2 %(V)	
	Flash po	bint	:	13 °C	
	Autoigni	tion temperature	:	425 °C	
	Decomp	oosition temperature	:	Not applicable	
	рН		:	6,95 Concentration: 10	0 %
	Viscosit Visco	y osity, dynamic	:	No data available	
	Solubilit Wate	y(ies) er solubility	:	immiscible	
	Partition octanol/	coefficient: n- water	:	not determined	
	Vapor p	ressure	:	not determined	
	Relative	density	:	not determined	



# DisboADD 261

Version 2.0	Revision Date: 14.05.2024		9S Number: 24613	Date of last issue: 01.04.2021 Date of first issue: 01.04.2021
De	nsity	:	0,8 g/cm3	
Re	lative vapor density	:	Heavier than air.	
	er information blosives	:	Not applicable	
Ox	idizing properties	:	Not applicable	
Fla	mmability (liquids)	:	Sustains combu	stion
Eva	aporation rate	:	Not applicable	

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

:	Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire condi- tions.
:	Protect from frost, heat and sunlight.
:	Incompatible with acids and bases. Incompatible with oxidizing agents.
	:

## **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Not classified based on available information.



# DisboADD 261

Version 2.0	Revision Date: 14.05.2024	SDS Number: 6024613	Date of last issue: 01.04.2021 Date of first issue: 01.04.2021
Com	ponents:		
prop	an-2-ol:		
Acute	e oral toxicity	: LD50 Oral (R	at): 4.570 mg/kg
Acute	e dermal toxicity	: LD50 Derma	l (Rabbit): 13.400 mg/kg
	corrosion/irritation		
Not c	lassified based on av	ailable information.	
	ous eye damage/eye		
Caus	es serious eye irritatio	on.	
Resp	piratory or skin sens	itization	
Skin	sensitization		
Not c	lassified based on av	ailable information.	
Resp	iratory sensitization	I	
Not c	lassified based on av	ailable information.	
Germ	n cell mutagenicity		
Not c	lassified based on av	ailable information.	
Carc	inogenicity		
Not c	lassified based on av	ailable information.	
Repr	oductive toxicity		
Not c	lassified based on av	ailable information.	
	T-single exposure		
May	cause drowsiness or o	dizziness.	
	<b>F-repeated exposure</b>		
Not c	lassified based on av	ailable information.	
	ration toxicity		
	lassified based on av		
11.2 Infor	mation on other haz	ards	
Endo	ocrine disrupting pro	perties	
Not c	lassified based on av	ailable information.	
<u>Prod</u>	uct:		
Asse	ssment	ered to have REACH Artic	ce/mixture does not contain components consid- endocrine disrupting properties according to le 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at 6 or higher.

# DisboADD 261



Version	Revision Date:	SDS Number:	Date of last issue: 01.04.2021
2.0	14.05.2024	6024613	Date of first issue: 01.04.2021

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### Components:

#### propan-2-ol:

Partition coefficient: n- : log Pow: 0,05 octanol/water

#### titanium tetraisopropanolate:

Partition coefficient: n-	:	log Pow: 0,05
octanol/water		Remarks: (for a component of this mixture)

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

## Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

# **DisboADD 261**



Version	Revision Date:	SDS Number:	Date of last issue: 01.04.2021
2.0	14.05.2024	6024613	Date of first issue: 01.04.2021

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

 maoto a outinone motinoao		
Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

:	UN 1219
:	UN 1219
:	ISOPROPANOL (propan-2-ol, titanium tetraisopropanolate)
	Class Subsidiary risks
:	3
:	3
:	3
:	3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# DisboADD 261



Versi 2.0	ion	Revision Date: 14.05.2024		9S Number: 24613	Date of last issue: 01.04.2021 Date of first issue: 01.04.2021
	IATA Packin	g group	:	3	
	<b>ADN</b> Packing Classifi	g group cation Code Identification Number	: :	II F1 33 3	
	Hazard Labels	g group cation Code Identification Number restriction code	: : : : : : : : : : : : : : : : : : : :	II F1 33 3 (D/E)	
		g group cation Code Identification Number	: : :	II F1 33 3	
	IMDG Packing Labels EmS C	g group ode	:	ll 3 F-E, S-D	
,	aircraft)	g instruction (cargo ) g instruction (LQ)	:	364 Y341 II Flammable Liquid	S
	Packing ger airc	g instruction (LQ)	:	353 Y341 II Flammable Liquid	s
14.5	Enviro	nmental hazards			
		mentally hazardous	:	no	
		mentally hazardous	:	no	
		mentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	

# DISBON

# DisboADD 261

Version	Revision Date:	SDS Number:	Date of last issue: 01.04.2021
2.0	14.05.2024	6024613	Date of first issue: 01.04.2021

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	FLA	AMMABLE LIQUIDS
Water hazard class (Germa- : WGK 2 obviously haz ny)	ardo	us to water
Volatile organic compounds : Volatile organic comp	ound	ds (VOC) content: 91,8 %, 734 g/l
Volatile organic compounds : < 92 % < 740 g/l		

## Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# DisboADD 261



Version	Revision Date:	SDS Number:	Date of last issue: 01.04.2021
2.0	14.05.2024	6024613	Date of first issue: 01.04.2021

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 H226 H319 H336	:	Highly flammable liquid and vapor. Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
Full text of other abbreviation	ns	
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
STOT SE	:	Specific target organ toxicity - single exposure
DE DFG BAT	:	Germany. MAK BAT Annex XIII
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
TRGS 903	:	TRGS 903 - Biological limit values
DE DFG MAK / MAK	:	MAK value
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GIS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SA - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of t

#### **Further information**

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# DisboADD 261



Version 2.0	Revision Date: 14.05.2024	SDS Number: 6024613	Date of last issue: 01.04.2021 Date of first issue: 01.04.2021
		2014 ACGIH, Cir NIOSH - Registry ECDIN - Environ work - Joint Rese Communities SAX'S - Dangero GESTIS - Databa Arbeitsschutz der (IFA, Institute for man Social Accid	y of toxic effects of chemical substances mental Chemicals Data and Information Net- earch Centre, Commission of the European ous properties of industrial materials ase on hazardous substances - Institut für r Deutschen Gesetzlichen Unfallversicherung Occupational Safety and Health of the Ger-
Class	sification of the mixture	):	Classification procedure:

		classification procedure.
Flam. Liq. 2	H225	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN