

DisboFLOOR 320 RAPID Comp. A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.01.2023	6025297	Date of first issue: 11.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	DisboFLOOR 320 RAPID Comp. A						
1.2 Relevant identified uses of t	1.2 Relevant identified uses of the substance or mixture and uses advised against							
Use of the Sub- stance/Mixture	:	Polyurethane-resin-based coating material, solvent-containing						
Recommended restrictions on use	:	within adequate application - none						
1.3 Details of the supplier of the safety data sheet								
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt						
Telephone	:	+496154710						
Telefax	:	+4961547170222						
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com						
1.4 Emergency telephone								
Emergency telephone 1	:	+49613284463 GBK GmbH						

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.					

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



DisboFLOOR 320 RAPID Comp. A

Version 1.0	Revision Date: 11.01.2023	SDS Nun 6025297	nber:	Date of last issue: - Date of first issue: 11.01.2023
Hazaro	l pictograms		>	
Signal	Word	: Warniı	ng	
Hazaro	Statements	: H317 H412		use an allergic skin reaction. to aquatic life with long lasting effects.
Precau	itionary Statements	: Preve P261 P262 P273 P280	Avoid b Do not g Avoid re	reathing mist or vapors. get in eyes, on skin, or on clothing. elease to the environment. rotective gloves/ eye protection.
		water. P362 -	+ P352	IF ON SKIN: Wash with plenty of soap and Take off contaminated clothing and wash it

Hazardous ingredients which must be listed on the label:

tetraethyl N,N'-(methylenedicyclohexane-4,1-diyl)bis-dl-aspartate aspartic acid ester diethyl fumarate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration



DisboFLOOR 320 RAPID Comp. A

Version 1.0	Revision Date: 11.01.2023		S Number: 5297		of last issue: - of first issue: 11.01.202	23
			EC-No. Index-No. Registration nu	mber		(% w/w)
(met	ethyl N,N'- hylenedicyclohexane-4 pis-dl-aspartate	1,1-	136210-30-5 429-270-1 607-521-00-8 01-0000017556	6-64	Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 50 - < 70
aspa	rtic acid ester		152637-10-0		Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 30 - < 50
dieth	yl fumarate		623-91-6 210-819-7		Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	>= 1 - < 10

Acute toxicity esti-

Acute oral toxicity: 1.367 mg/kg

mate

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	 Show this material safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice. Move out of dangerous area. First aider needs to protect himself. Never give anything by mouth to an unconscious person.
If inhaled	: If symptoms persist, call a physician. Move to fresh air.
In case of skin contact	 Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.
In case of eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	: Clean mouth with water and drink afterwards plenty of water.



DisboFLOOR 320 RAPID Comp. A

Version 1.0	Revision Date: 11.01.2023	SDS Numb 6025297	er: Date of last issue: - Date of first issue: 11.01.2023					
			entally swallowed obtain immediate medical attention. wed, DO NOT induce vomiting.					
			oth acute and delayed					
Risks : May cause an allergic skin reaction.								
4.3 Indication of any immediate medical attention and special treatment needed								
Treatr	ment	: No infor	No information available.					
SECTION 5: Firefighting measures								
5.1 Exting	uishing media							
Suitat	ble extinguishing media	cumstai Foam	inguishing measures that are appropriate to local cir- nces and the surrounding environment.					
		Carbon	dioxide (CO2)					
Unsui media	table extinguishing	: Water						
5.2 Specia	al hazards arising from	the substar	nce or mixture					
Speci fightin	fic hazards during fire	In case produce	osed containers exposed to fire with water spray. of fire hazardous decomposition products may be ad such as:					
		Carbon bons (si	monoxide, carbon dioxide and unburned hydrocar- noke).					
5.3 Advice	e for firefighters							
Speci	al protective equipment e-fighters	: In the e	vent of fire, wear self-contained breathing apparatus.					
Furthe	er information	be dispo Standar	idues and contaminated fire extinguishing water must osed of in accordance with local regulations. d procedure for chemical fires. vent of fire and/or explosion do not breathe fumes.					

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	: Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Evacuate personnel to safe areas.



DisboFLOOR 320 RAPID Comp. A

Version 1.0	Revision Date: 11.01.2023		DS Number: 25297	Date of last issue: - Date of first issue: 11.01.2023				
			Ensure adequate	ventilation.				
6.2 Environmental precautions								
Environmental precautions		:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.					
6.3 Methods and material for containment and cleaning up								
Method	ds for cleaning up	:	material, (e.g. sar and transfer to a c	soak up with non-combustible absorbent nd, earth, diatomaceous earth, vermiculite) container for disposal according to local / ns (see section 13).				

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling:For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Contains isocyanates. Please, attend to producer's advice. Liquid product may irritate and sensitize skin and respiratory tract and may cause allergic reaction. Do not inhale vapours. Take care for sufficient fresh air supply during and after use. Product must not be sprayed. Allergics or persons tending to respiratory tract diseases must not be involved in operations with this product.Advice on protection against fire and explosion:The product is flammable but not readily ignited.Hygiene measures:Keep working clothes separately. Remove and wash contami- nated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove con- taminated clothing and protective equipment before entering eating areas.		5	
 and its application on www.caparol.com must be observed. Advice on protection against fire and explosion Hygiene measures Keep working clothes separately. Remove and wash contaminated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering 	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Contains isocyanates. Please, attend to producer's advice. Liquid product may irritate and sensitize skin and respiratory tract and may cause allergic reaction. Do not inhale vapours. Take care for sufficient fresh air supply during and after use. Product must not be sprayed. Allergics or persons tending to respiratory tract diseases must not be involved in operations
fire and explosion Hygiene measures : Keep working clothes separately. Remove and wash contami- nated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove con- taminated clothing and protective equipment before entering			•
nated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove con- taminated clothing and protective equipment before entering		:	The product is flammable but not readily ignited.
	Hygiene measures	:	nated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove con- taminated clothing and protective equipment before entering



DisboFLOOR 320 RAPID Comp. A

1.0 11.01.2023 6025297 Date of first issue: 11.01.2023	Version 1.0	Revision Date: 11.01.2023	SDS Number: 6025297	Date of last issue: - Date of first issue: 11.01.2023
--	----------------	---------------------------	------------------------	--

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510)	:	10

7.3 Specific end use(s)

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	••• (=••==) =•••••	ang te regulater	(=0)	
Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
tetraethyl N,N'- (methylenedicyclo- hexane-4,1-diyl)bis-dl- aspartate	Consumers	Inhalation	Long-term systemic effects	4,80 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1,40 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	1,40 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	1,40 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1,40 mg/kg bw/day
	Consumers	Inhalation	Acute systemic ef- fects	4,80 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,00 mg/kg bw/day
	Workers	Inhalation	Acute systemic ef- fects	112,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	28,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tetraethyl N,N'- (methylenedicyclohexane-4,1- diyl)bis-dl-aspartate	Soil	0,1 mg/kg dry weight (d.w.)
	Fresh water	0,00013 mg/l
	Fresh water sediment	0,21 mg/kg dry



0,02 mg/kg dry weight (d.w.)

DE / EN

DisboFLOOR 320 RAPID Comp. A

Version 1.0	Revision Date: 11.01.2023	SDS Number: 6025297	Date of last issue: Date of first issue:	
		I		weight (d.w.)
		Sewage trea	itment plant	31,1 mg/l
		Sea water		0,000013 mg/l

Sea sediment

8.2 Exposure controls

Personal protective equipment	t i i i i i i i i i i i i i i i i i i i
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection
	Goggles
Hand protection Material : Glove thickness : Protective index :	butyl-rubber 0,3 mm Class 3
Remarks :	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection :	Safety shoes Long sleeved clothing Remove and wash contaminated clothing before re-use. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces.
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
	Skin should be washed after contact.
Respiratory protection :	When exceeding the WEL substance Limit a respiratory filter Type A is necessary. Class 1 or 2 has to be chosen depend- ing on the workplace concentration. Do not use for spraying.
	DGUV Regulation 112-190 - Use of breathing equipment
	During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.



DisboFLOOR 320 RAPID Comp. A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.01.2023	6025297	Date of first issue: 11.01.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid	
Color	: No data	available
Odor	: No data	available
Odor Threshold	: Not rele	vant
Melting point/freezing point	: not dete	rmined
Boiling point/boiling range	: not dete	rmined
Upper explosion limit / Upper flammability limit	: not dete	rmined
Lower explosion limit / Lower flammability limit	: not dete	rmined
Flash point	: ca. 100	°C
Autoignition temperature	: not dete	rmined
Decomposition temperature	: Not app	licable
рН	: 6,95 Concent	tration: 10 %
Viscosity Viscosity, dynamic	: No data	available
Solubility(ies) Water solubility	: partly m	iscible
Partition coefficient: n- octanol/water	: not dete	rmined
Vapor pressure	: not dete	rmined
Relative density	: not dete	rmined
Density	: 1,0640 g	g/cm3
Relative vapor density	: not dete	rmined



DisboFLOOR 320 RAPID Comp. A

Version 1.0	Revision Date: 11.01.2023	SDS Number: 6025297	Date of last issue: - Date of first issue: 11.01.2023
• • • • •	er information plosives	: Not applicable	
	kidizing properties	: Not applicable	
Fla	ammability (liquids)	: The product is r	not flammable.
Ev	aporation rate	: Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Amines and alcohols cause exothermic reactions. Mixture reacts slowly with water resulting in evolution of CO2.
10.4 Conditions to avoid		
Conditions to avoid	:	Exposure to water vapor. Protect from frost, heat and sunlight.
10.5 Incompatible materials		
Matariala ta avaid		Aminoo

:	Amines
	Incompatible with oxidizing agents.
	Incompatible with acids and bases.
	:

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg
		Method: Calculation method

Components:

diethyl fumarate:



DisboFLOOR 320 RAPID Comp. A

VersionRevision Date:SDS Number:Date of last issue: -1.011.01.20236025297Date of first issue: 11.01.2023					
--	--	--	--	--	--

Acute oral toxicity

: Acute toxicity estimate: 1.367 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available



DisboFLOOR 320 RAPID Comp. A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.01.2023	6025297	Date of first issue: 11.01.2023

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

:

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	Harmful to aquatic organisms, may cause long-term adverse
mation		effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Waste should not be disposed of via wastewater.
		Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances



DisboFLOOR 320 RAPID Comp. A

Version	Revision Date: 11.01.2023	SDS Number:	Date of last issue: -
1.0		6025297	Date of first issue: 11.01.2023
-			

SECTION 14: Transport information

14.1 UN number or ID number						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards	14.5 Environmental hazards					
Not regulated as a dangerous good						
14.6 Special precautions for use	er					
Remarks	:	Not classified as dangerous in the meaning of transport regulations.				



DisboFLOOR 320 RAPID Comp. A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.01.2023	6025297	Date of first issue: 11.01.2023

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmer ture	ntal regulations/legislati	ion	specific for the substance or mix-			
the market and use of certain da	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)					
REACH - Candidate List of Subs Concern for Authorization (Article		:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.			
Regulation (EC) No 1005/2009 of plete the ozone layer	on substances that de-	:	Not applicable			
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)						
REACH - List of substances subj (Annex XIV)	ject to authorisation	:	None			
Seveso III: Directive 2012/18/EU pean Parliament and of the Cour control of major-accident hazards dangerous substances.	ncil on the	Not	applicable			
Water hazard class (Germa- : ny)						
. :	: PU40 PU systems, solv	ven	t-free, harmful, sensitising			
Volatile organic compounds :	: Directive 2004/42/EC < 6 % < 60 g/l					

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.



DisboFLOOR 320 RAPID Comp. A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.01.2023	6025297	Date of first issue: 11.01.2023

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.		
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H335	:	May cause respiratory irritation.		
H412	:	Harmful to aquatic life with long lasting effects.		
Full text of other abbreviations				
Full text of other appreviatio	113			
Acute Tox.		Acute toxicity		
	:	Acute toxicity Long-term (chronic) aquatic hazard		

Skin sensitization

2

:

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Roat; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Miritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Givi Aviation Organization; IECSC - Inventy and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Mediare); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative an

Specific target organ toxicity - single exposure

Further information

Skin Sens.

STOT SE

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH



DisboFLOOR 320 RAPID Comp. A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.01.2023	6025297	Date of first issue: 11.01.2023

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the	mixture:	Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN