

DisboFLOOR 475 SL CompB							
Version 2.0	Revision Date: 26.09.2023	SDS Number: 6025686	Date of last issue: 07.02.2023 Date of first issue: 08.09.2021				

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	DisboFLOOR 475 SL CompB
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, totally solid
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
Website	:	

: msds@dr-rmi.com

1.4 Emergency telephone

ble/issuing person

Emergency telephone 1	: +49613284463 GBK GmbH
Emergency telephone i	

SECTION 2: Hazards identification

E-mail address Responsi-

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Acute toxicity, Category 4	H302: Harmful if swallowed.					
Acute toxicity, Category 4	H332: Harmful if inhaled.					
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.					



DisboFLOOR 475 SL CompB

Version 2.0	Revision Date: 26.09.2023	SDS Number: 6025686	Date of last issue: 07.02.2023 Date of first issue: 08.09.2021	

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008) Hazard pictograms t Signal Word Danger Hazard Statements H302 + H332 Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. H314 May cause an allergic skin reaction. H317 Harmful to aquatic life with long lasting effects. H412 Supplemental Hazard EUH071 Corrosive to the respiratory tract. 2 Statements Precautionary Statements **Prevention:** 1 P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:** P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Hazardous ingredients which must be listed on the label:

benzvl alcohol

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5 3-aminomethyl-3,5,5-trimethylcyclohexylamine m-phenylenebis(methylamine)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



DisboFLOOR 475 SL CompB

Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
2.0	26.09.2023	6025686	Date of first issue: 08.09.2021

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

.

Components

Components Chemical name	CAS-No.	Classification	Concentration
	EC-No. Index-No. Registration number	Classification	(% w/w)
benzyl alcohol	100-51-6 202-859-9 603-057-00-5 01-2119492630-38	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 30 - < 50
4,4'-Isopropylidenediphenol, oli- gomeric reaction products with 1- chloro-2,3-epoxypropane, reaction products with 3-aminomethyl- 3,5,5	38294-64-3 500-101-4 01-2119965165-33, 01-2120106013-80	Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 30 - < 50
3-aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2 220-666-8 612-067-00-9 01-2119514687-32	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Chronic 3; H412 specific concentration limit Skin Sens. 1A; H317 >= 0,001 % Acute toxicity esti- mate Acute oral toxicity: 1.030 mg/kg	>= 10 - < 20
m-phenylenebis(methylamine)	1477-55-0	Acute Tox. 4; H332	>= 10 - < 20



DisboFLOOR 475 SL CompB

Version 2.0	Revision Date: 26.09.2023	SDS Number: 6025686		e of last issue: 07.02.2023 e of first issue: 08.09.2021	
		216-032-5 01-21194807	150-50	Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Eye Dam. 1; H318 EUH071	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. Move to fresh air. If inhaled In case of skin contact : Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately. In case of eye contact IF IN EYES: Rinse cautiously with water for several minutes. 5 Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. If swallowed 1 Call a physician. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting. 4.2 Most important symptoms and effects, both acute and delayed Risks Harmful if swallowed or if inhaled. ÷ May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns. Corrosive to the respiratory tract. 4.3 Indication of any immediate medical attention and special treatment needed No information available.



DisboF	LOOR 475 SL Co	om	ıpΒ		
Version	Revision Date:	SE	S Number:	Date of last issue: 07.02.2023	
2.0	26.09.2023	60	25686	Date of first issue: 08.09.2021	
SECTION	5: Firefighting meas	sur	es		
5.1 Exting	uishing media				
Suitable extinguishing media		:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Foam Carbon dioxide (CO2)		
Unsuitable extinguishing media			None known.		
5.2 Specia	I hazards arising from	the	substance or m	ixture	
Specif fighting	ic hazards during fire g	:		ainers exposed to fire with water spray. mposition products formed under fire condi-	
5.3 Advice	for firefighters				
•	al protective equipment	:	In the event of fi	re, wear self-contained breathing apparatus.	
Furthe	er information	:	be disposed of ir Standard proced	d contaminated fire extinguishing water must a accordance with local regulations. lure for chemical fires. re and/or explosion do not breathe fumes.	

6.1 Personal precautions, protectiv	re equipment and emergency procedures
Personal precautions :	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
6.2 Environmental precautions	
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,



DisboFLOOR 475 SL CompB

	of last issue: 07.02.2023 of first issue: 08.09.2021
--	---

acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms. In addition, the current technical information for this product and its application on www.caparol.com must be observed. Advice on protection against : The product is flammable but not readily ignited. fire and explosion : Avoid contact with the skin and the eyes. Wash hands before Hygiene measures eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition areas and containers and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510) : 8A 7.3 Specific end use(s) Specific use(s) This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
benzyl alcohol	100-51-6	AGW (Vapour and aerosols)	5 ppm 22 mg/m3	DE TRGS 900



DE / EN

DisboFLOOR 475 SL CompB

Version	
2.0	

Revision Date: 26.09.2023

SDS Number: 6025686

Date of last issue: 07.02.2023 Date of first issue: 08.09.2021

Peak-limit category: 2;(I)
Further information: Skin absorption, When there is compliance with the OEL
and biological tolerance values, there is no risk of harming the unborn child

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
benzyl alcohol	Consumers	Skin contact	Acute systemic ef- fects	20,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,40 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4,00 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	20,00 mg/kg bw/day
	Consumers	Inhalation	Acute systemic ef- fects	27,00 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	22,00 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	40,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	8,00 mg/kg bw/day
4,4'- Isopropylidenediphe- nol, oligomeric reac- tion products with 1- chloro-2,3- epoxypropane, reac- tion products with 3- aminomethyl-3,5,5	Consumers	Ingestion	Long-term systemic effects	0,05 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,05 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,18 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,14 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,98 mg/m3
3-aminomethyl-3,5,5- trimethylcyclohexyla- mine	Consumers	Ingestion	Long-term systemic effects	0,53 mg/kg bw/day
	Workers	Inhalation	Acute local effects	0,07 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,07 mg/m3



DE / EN

DisboFLOOR 475 SL CompB

Version 2.0	Revision Date: 26.09.2023	SDS Num 6025686	ber:	Date of last issue: 07.02.2023 Date of first issue: 08.09.2021	
m- phe- nylen e)	ebis(methylamin	Workers	Inhalation	Long-term systemic effects	1,20 mg/m3
		Workers	Inhalation	Long-term local ef- fects	0,20 mg/m3
		Workers	Skin conta	ct Long-term systemic effects	0,33 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
benzyl alcohol	Sewage treatment plant	39 mg/l
	Fresh water	1 mg/l
	Sea sediment	0,527 mg/kg dry weight (d.w.)
	Sea water	0,1 mg/l
	Fresh water sediment	5,27 mg/kg dry weight (d.w.)
	Soil	0,456 mg/kg dry weight (d.w.)
	Intermittent use/release	2,3 mg/l
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reac- tion products with 3- aminomethyl-3,5,5	Sea sediment	0,00456 mg/kg dry weight (d.w.)
	Sea water	0,00111 mg/l
	Secondary Poisoning	1 mg/kg food
	Fresh water sediment	0,0456 mg/kg dry weight (d.w.)
	Soil	0,00279 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,111 mg/l
	Fresh water	0,0111 mg/l
3-aminomethyl-3,5,5- trimethylcyclohexylamine	Sea sediment	0,578 mg/kg dry weight (d.w.)
	Fresh water sediment	5,784 mg/kg dry weight (d.w.)
	Fresh water	0,06 mg/l
	Sewage treatment plant	3,18 mg/l
	Sea water	0,006 mg/l
	Soil	1,121 mg/kg dry weight (d.w.)
	Intermittent use/release	0,23 mg/l
m-phenylenebis(methylamine)	Soil	0,045 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l



DisboFLOOR 475 SL CompB

Version 2.0	Revision Date: 26.09.2023	SDS Number: 6025686	Date of last issue: 0 Date of first issue: 0	
		Sea sedimer	nt	0,043 mg/kg dry weight (d.w.)
		Fresh water	sediment	0,43 mg/kg dry weight (d.w.)
	Fresh water			0,094 mg/l
		Intermittent u	use/release	0,152 mg/l
		Sea water		0,0094 mg/l

Personal protective equipment	
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection
	Tightly fitting safety goggles
	Nitrile rubber 0,2 mm Class 3
Remarks :	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection :	Safety shoes Use appropriate degowning techniques to remove potentially contaminated clothing. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Long sleeved clothing
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
	Skin should be washed after contact.
Respiratory protection :	Roller application or brushing: This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.
	DGUV Regulation 112-190 - Use of breathing equipment
	During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.



DisboFLOOR 475 SL CompB			
Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
2.0	26.09.2023	6025686	Date of first issue: 08.09.2021

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	i an :	
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	> 100 °C
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	11 Concentration: 10 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	partly miscible
Partition coefficient: n-	:	not determined



Disb	DisboFLOOR 475 SL CompB				
Versior 2.0	Revision Date: 26.09.2023	SDS Number:Date of last issue: 07.02.20236025686Date of first issue: 08.09.2021			
oc	anol/water				
Va	por pressure	: not determined			
De	nsity	: 1,02 g/cm3 (20 °C)			
Re	lative vapor density	: not determined			
	er information idizing properties	: Not applicable			
Fla	nmability (liquids)	: The product is not flammable.			
Ev	aporation rate	: Not applicable			

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid	
Conditions to avoid	: Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



DisboFLOOR 475 SL CompB

	VersionRevision Date:SDS Number:Date of last issue: 07.02.20232.026.09.20236025686Date of first issue: 08.09.2021	Revision Date: SDS Number: Date of last issue: 07.02.2023
--	---	---

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Harmful if swallowed or if inh	aled	
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 1.597 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 2,52 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Components:		
benzyl alcohol:		
Acute oral toxicity	:	LD50 (Rat, male and female): 1.230 mg/kg
3-aminomethyl-3,5,5-trimet	hylc	yclohexylamine:
Acute oral toxicity	:	Acute toxicity estimate: 1.030 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	LD50 (Rabbit): 1.840 mg/kg
m-phenylenebis(methylam	ine):	
Acute oral toxicity	:	LD50 (Rat): 930 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): 1,01 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): 3.100 mg/kg
Skin corrosion/irritation		
Causes severe burns.		
Serious eye damage/eye ir	ritati	on

Causes serious eye damage.



Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
2.0	26.09.2023	6025686	Date of first issue: 08.09.2021
<u>Com</u>	ponents:		
benz	yl alcohol:		
Spec		: Rabbit	
Asse	ssment	: Irritating to eye	95.
Resp	iratory or skin sensi	tization	
	sensitization		
May	cause an allergic skin	reaction.	
	iratory sensitization		
Not c	lassified based on ava	ailable information.	
Gern	n cell mutagenicity		
Not c	lassified based on ava	ailable information.	
Carc	inogenicity		
Not c	lassified based on ava	ailable information.	
Repr	oductive toxicity		
Not c	lassified based on ava	ailable information.	
STO	Γ-single exposure		
Corro	sive to the respiratory	v tract.	
STO	F -repeated exposure		
Not c	lassified based on ava	ailable information.	
Aspi	ration toxicity		
Not c	lassified based on ava	ailable information.	
1.2 Infor	mation on other haz	ards	
Endo	ocrine disrupting pro	perties	
Prod	uct:		
Asse	ssment	ered to have e REACH Article	e/mixture does not contain components consid- ndocrine disrupting properties according to a 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available



DisboF	LOOR 475 SL C	CompB				
Version 2.0	Revision Date: 26.09.2023	SDS Number: 6025686	Date of last issue: 07.02.2023 Date of first issue: 08.09.2021			
12.3 Bioad	ccumulative potential					
Com	oonents:					
benzy	/I alcohol:					
	on coefficient: n- ol/water	: log Pow: 1,05	(20 °C)			
	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with 3-aminomethyl-3,5,5:					
	on coefficient: n- ol/water	: log Pow: 3,6 (pH: 7	25 °C)			
3-ami	nomethyl-3,5,5-trime	thylcyclohexylamir	ne:			
	on coefficient: n- ol/water	: Pow: ca. 9,8 (log Pow: 0,99 pH: 6,34				
m-phenylenebis(methylamine):						
	on coefficient: n- ol/water	: log Pow: ca. 0 pH: 10,3),18 (25 °C)			
12.4 Mobi No da	lity in soil Ita available					
12.5 Resu	Its of PBT and vPvB a	assessment				
Produ	uct:					
Asses	ssment	to be either pe	e/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of r.			
12.6 Endo	12.6 Endocrine disrupting properties					
Produ	uct:					
Asses	ssment	ered to have e REACH Article	e/mixture does not contain components consid- endocrine disrupting properties according to e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher.			
12.7 Othe	r adverse effects					
<u>Produ</u> Additi	<u>uct:</u> onal ecological infor-	: Harmful to aqu	uatic organisms, may cause long-term adverse			
		14 / 2				



DisboF	LOOR 475 SL (CompB			
Version	Revision Date:	SDS Number			
2.0	26.09.2023	6025686	Date of first issue: 08.09.2021		
matio	mation effects in the aquatic environment.				
SECTION	I 13: Disposal cons	iderations			
13.1 Wast	e treatment methods				
Produ	ict	disposed Material r hardener	product residues and unpurified packaging should be of as hazardous waste. esidues: Allow the basic substance to harden with and dispose of as paint waste. ould not be disposed of via wastewater.		
Conta	minated packaging	: Only com cling.	pletely emptied containers should be given for recy-		
Waste	e Code		duct waste paint and varnish containing organic solvents langerous substances		

SECTION 14: Transport information

14.1 UN number or ID number	
ADN	: UN 2735
ADR	: UN 2735
RID	: UN 2735
IMDG	: UN 2735
ΙΑΤΑ	: UN 2735
14.2 UN proper shipping name	9
ADN	 AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3- aminomethyl-3,5,5, 3-aminomethyl-3,5,5- trimethylcyclohexylamine)
ADR	 AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3- aminomethyl-3,5,5, 3-aminomethyl-3,5,5- trimethylcyclohexylamine)
RID	: AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3- aminomethyl-3,5,5, 3-aminomethyl-3,5,5-



Version Revision Date: 2.0 26.09.2023	SDS Number: 6025686	Date of last issue: 07.02.2023 Date of first issue: 08.09.2021
	trimethylcyclo	bhexylamine)
IMDG	(4,4'-Isopropy with 1-chloro-	UID, CORROSIVE, N.O.S. /lidenediphenol, oligomeric reaction products ·2,3-epoxypropane, reaction products with 3- ·3,5,5, 3-aminomethyl-3,5,5- ohexylamine)
ΙΑΤΑ	: Amines, liquid, corrosive, n.o.s. (4,4'-Isopropylidenediphenol, oligomeric reaction with 1-chloro-2,3-epoxypropane, reaction product aminomethyl-3,5,5, 3-aminomethyl-3,5,5- trimethylcyclohexylamine)	
14.3 Transport hazard class(es)		
	Class	Subsidiary risks
ADN	: 8	
ADR	: 8	
RID	: 8	
IMDG	: 8	
ΙΑΤΑ	: 8	
14.4 Packing group		
ADN Packing group Classification Code Hazard Identification Number Labels	: II : C7 : 80 : 8	
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: II : C7 : 80 : 8 : (E)	
RID Packing group Classification Code Hazard Identification Number Labels	: II : C7 : 80 : 8	
IMDG Packing group Labels EmS Code	: II : 8 : F-A, S-B	
IATA (Cargo) Packing instruction (cargo	: 855	



DE / EN

it) ng instruction (LQ) ng group s (Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group s onmental hazards onmentally hazardous		Y840 II Corrosive 851 Y840 II Corrosive		
ng instruction (LQ) ng group s (Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group s onmental hazards		II Corrosive 851 Y840 II		
(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group s onmental hazards		Corrosive 851 Y840 II		
(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group s onmental hazards	:	851 Y840 II		
ng instruction (passen- rcraft) ng instruction (LQ) ng group s onmental hazards	:	Y840 II		
ng instruction (LQ) ng group s onmental hazards	:	II		
onmental hazards	:		_	
onmental hazards	:	Corrosive		
onmentally hazardous				
onmentally hazardous				
	•	no		
onmentally hazardous	:	no		
-	:	no		
•		no		
•				
upon the properties of . Transportation classif	the icatio	unpackaged ma ons may vary by	iterial as it is	s described within this Safety Data
ime transport in bulk	acco	ording to IMO ir	nstruments	
oplicable for product as	sup	plied.		
	ansport classification(s l upon the properties of Transportation classif s in regional or country ime transport in bulk oplicable for product as	e pollutant ial precautions for user ansport classification(s) pro- l upon the properties of the . Transportation classifications in regional or country regu- ime transport in bulk accord oplicable for product as sup-	e pollutant : no ial precautions for user ansport classification(s) provided herein are upon the properties of the unpackaged ma . Transportation classifications may vary by s in regional or country regulations.	e pollutant : no ial precautions for user ansport classification(s) provided herein are for informa l upon the properties of the unpackaged material as it is . Transportation classifications may vary by mode of tra- s in regional or country regulations. ime transport in bulk according to IMO instruments oplicable for product as supplied.

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above

dor.

0.1%. Therefore no advised uses



ersion 0	Revision Date: 26.09.2023	SDS Number: 6025686	Date of last issue: 07.02.2023 Date of first issue: 08.09.2021	
			have to be defined and no che safety assessment has to be g ated.	
	ation (EC) No 1005/200 he ozone layer	9 on substances th	nat de- : Not applicable	
	ation (EU) 2019/1021 or (recast)	n persistent organi	c pollu- : Not applicable	
	CH - List of substances s x XIV)	subject to authorisa	ition : None	
pean l contro	o III: Directive 2012/18/ Parliament and of the C of major-accident haza prous substances.	ouncil on the	Not applicable	
pean l contro dange	Parliament and of the Collection of major-accident haza	ouncil on the ards involving : WGK 2 obvio	Not applicable usly hazardous to water according to AwSV, Annex 1 (5.2)	
pean l contro dange Water ny) Produ	Parliament and of the C of major-accident haza prous substances.	ouncil on the ards involving : WGK 2 obvio Classification	usly hazardous to water	
pean l contro dange Water ny) Produ	Parliament and of the C of of major-accident haza rous substances. hazard class (Germa- ct code for laquers and	ouncil on the ards involving : WGK 2 obvio Classification : RE1 Epoxy re	usly hazardous to water according to AwSV, Annex 1 (5.2)	
pean l contro dange Water ny) Produ paints	Parliament and of the C of of major-accident haza rous substances. hazard class (Germa- ct code for laquers and	ouncil on the ards involving : WGK 2 obvio Classification : RE1 Epoxy re : RE30 Epoxy r : Directive 201	usly hazardous to water according to AwSV, Annex 1 (5.2) esin products, solvent-free, sensitising resin products, sensitising, totally solid 0/75/EU of 24 November 2010 on industrial tegrated pollution prevention and control)	

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H302

: Harmful if swallowed.



DE / EN

DisboFLOOR 475 SL CompB

Version 2.0	Revision Date: 26.09.2023	SDS Numl 6025686	Der: Date of last issue: 07.02.2023 Date of first issue: 08.09.2021
H312 H314 H317 H318 H319 H332 H412 EUH0	71	: Cause : May ca : Cause : Cause : Harmfu : Harmfu	Il in contact with skin. s severe skin burns and eye damage. ause an allergic skin reaction. s serious eye damage. s serious eye irritation. Il if inhaled. Il to aquatic life with long lasting effects. ive to the respiratory tract.
Full to	ext of other abbrevia	ations	
Eye D Eye Ir Skin 0 Skin 5 DE TF	ic Chronic bam. rit. Corr.	: Seriou : Eye irr : Skin co : Skin se : Germa	erm (chronic) aquatic hazard s eye damage tation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Roat; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GIS - Globally Harmonics QLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from 5% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); IMAPOL - International Convention for the Prevention of Pollution from 5% observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (O)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (SC) No 197/2006 of the European Parliament and of the Council concern

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances



DisboFLOOR 475 SL CompB

Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
2.0	26.09.2023	6025686	Date of first issue: 08.09.2021

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the	e mixture:	Classification procedure:
Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN