

# DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	<b>Product identifier</b> Trade name	:	DisboXID 926 PHS Comp. A RAL7032		
1.2	Relevant identified uses of t	he s	substance or mixture and uses advised against		
	Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, totally solid		
	Recommended restrictions on use	:	within adequate application - none		
1.3	Details of the supplier of the	saf	ety data sheet		
	Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt		
	Telephone	:	+496154710		
	Telefax	:	+4961547170222		
	E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com		
1.4	Emergency telephone				
	Emergency telephone 1	:	+49613284463 GBK GmbH		
SECTION 2: Hazards identification					
2.1	Classification of the substar	ice	or mixture		
	Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2 H315: Causes skin irritation.			H315: Causes skin irritation.		

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



DisboX	ID 926 PHS Co	m	). A R/	AL7032
Version 3.0	Revision Date: 05.12.2022	SDS Number: 6003242		
Hazard pictograms		:	<u>(!</u>	
Signa	l Word	:	Warnin	g
Hazard Statements		:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Preca	utionary Statements	:	<b>Preven</b> P262 P264 P273 P280	tion: Do not get in eyes, on skin, or on clothing. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection.
			Response P337 + attentio P362 + before	<ul> <li>P313 If eye irritation persists: Get medical advice/</li> <li>n.</li> <li>P364 Take off contaminated clothing and wash it</li> </ul>

#### Hazardous ingredients which must be listed on the label:

bis-[4-(2.3-epoxipropoxi)phenyl]propane bisphenol-F epoxy resin MW <700 oxirane, mono[(C12-14-alkyloxy)methyl] derivs. p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

#### **Additional Labeling**

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 $\longrightarrow$ specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 30 - < 50
bisphenol-F epoxy resin MW <700	9003-36-5 500-006-8 01-2119454392-40	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 2,5 - < 10
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2 271-846-8 603-103-00-4 01-2119485289-22	Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 1 - < 10
benzyl alcohol	100-51-6 202-859-9 603-057-00-5 01-2119492630-38	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 10
p-tert-butylphenyl 1-(2,3- epoxy)propyl ether	3101-60-8 221-453-2 01-2119959496-20	Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 1 - < 2,5

For explanation of abbreviations see section 16.



# DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

## **SECTION 4: First aid measures**

4.1 Description of first-aid measu	ires		
General advice	<ul> <li>Never give anything by mouth to an unconscious person.</li> <li>If you feel unwell, seek medical advice (show the label where possible).</li> <li>Move out of dangerous area.</li> <li>First aider needs to protect himself.</li> </ul>		
If inhaled	: Move to fresh air.		
In case of skin contact	<ul> <li>Do NOT use solvents or thinners.</li> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Take off all contaminated clothing immediately.</li> </ul>		
In case of eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy- sician.		
If swallowed	<ul> <li>Call a physician.</li> <li>Clean mouth with water and drink afterwards plenty of water.</li> <li>If swallowed, DO NOT induce vomiting.</li> </ul>		
4.2 Most important symptoms and effects, both acute and delayed			
Risks	<ul> <li>Causes skin irritation.</li> <li>May cause an allergic skin reaction.</li> <li>Causes serious eye irritation.</li> </ul>		

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment
-----------

: No information available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.



## DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date: 05.12.2022	SDS Number:	Date of last issue: 17.06.2021
3.0		6003242	Date of first issue: 10.12.2019

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	Cool closed containers exposed to fire with water spray. Hazardous decomposition products formed under fire condi- tions.
5.3 Advice for firefighters Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires. In the event of fire and/or explosion do not breathe fumes.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.

#### 6.2 Environmental precautions

Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> <li>Do not flush into surface water or sanitary sewer system.</li> </ul>
	Do not nush into surface water of samilary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

 Advice on safe handling
 : For personal protection see section 8.

 Avoid exceeding the given occupational exposure limits (see section 8).



## DisboXID 926 PHS Comp. A RAL7032

Ver 3.0	sion	Revision Date: 05.12.2022		DS Number: 003242	Date of last issue: 17.06.2021 Date of first issue: 10.12.2019		
				Provide sufficient	air exchange and/or exhaust in work rooms.		
					rrent technical information for this product on www.caparol.com must be observed.		
Advice on protection against fire and explosion		:	The product is flammable but not readily ignited.				
	Hygien	e measures	:	eating, drinking, c using this product	n the skin and the eyes. Wash hands before or smoking. Do not eat, drink or smoke when a. Remove contaminated clothing and protec- ofore entering eating areas.		
7.2	Conditi	ons for safe storage,	inc	luding any incom	oatibilities		
Requirements for storage areas and containers			:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.			
	Storag	e class (TRGS 510)	:	10			
7.3 Specific end use(s) Specific use(s)		:	This information is	s not available.			

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biologic					
	tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		BM (Alveolar	0,5 mg/m3	DE TRGS		



# DisboXID 926 PHS Comp. A RAL7032

sion	Revision Dat 05.12.2022	6003	Numbe 3242			last issue: 17.06.2021 first issue: 10.12.2019	
				action)			527
benzy	l alcohol	100-51-6		(Vapour	5 p		DE TRGS
				erosols)	22	mg/m3	900
		Peak-limit cat					
						/hen there is complian	
		and biologica	l toleran	ce values, th	erei	s no risk of harming the	e unborn child
Derive	ed No Effect L	evel (DNEL) a	ccordin	g to Regula	tion	(EC) No. 1907/2006:	
Subst	ance name	End Use	F	Routes of exp	00-	Potential health ef-	Value
				ure	-	fects	
bisphe	enol-F epoxy	Consumer	s S	Skin contact		Long-term systemic	62,50 mg/k
	MW <700					effects	bw/day
		Consumer	s li	ngestion		Long-term systemic	6,25 mg/kg
				-		effects	bw/day
		Consumer	s li	nhalation		Long-term systemic	8,70 mg/m
						effects	
		Workers	-	Skin contact		Acute local effects	8,30 µg/cm
		Workers	S	Skin contact		Long-term systemic	104,15 mg
						effects	bw/day
		Workers		nhalation		Long-term systemic effects	29,39 mg/r
powde ing 1 9 particl	m dioxide; [in er form contain % or more of es with aerody diameter ≤ 10	-		ngestion		Long-term systemic effects	700,00 mg. bw/day
		Workers	h	nhalation		Long-term local ef- fects	10,00 mg/r
benzy	l alcohol	Consumer	s S	kin contact		Acute systemic ef- fects	20,00 mg/k bw/day
		Consumer	s li	ngestion		Long-term systemic effects	4,00 mg/kg bw/day
		Consumer	s li	nhalation		Long-term systemic effects	5,40 mg/m
		Consumer	s S	Skin contact		Long-term systemic effects	4,00 mg/kg bw/day
		Consumer	s li	ngestion		Acute systemic ef- fects	20,00 mg/k bw/day
		Consumer	s li	nhalation		Acute systemic ef- fects	27,00 mg/r
		Workers	li	nhalation		Acute systemic ef- fects	110,00 mg
		Workers	h	nhalation		Long-term systemic effects	22,00 mg/r
		Workers	S	Skin contact		Acute systemic ef- fects	40,00 mg/k bw/day
		Workers	S	Skin contact		Long-term systemic effects	8,00 mg/kg bw/day



## DisboXID 926 PHS Comp. A RAL7032

/ersion 3.0	Revision Date: 05.12.2022	SDS Nur 6003242		Date of last issue: 17.06.2021 Date of first issue: 10.12.2019		
	-butylphenyl 1- epoxy)propyl	Consumers	Skin contact	Acute local effects	0,95 µg/cm2	
		Consumers	Inhalation	Long-term local ef- fects	11,70 mg/m3	
		Consumers	Skin contact	Long-term systemic effects	3,30 mg/kg bw/day	
		Consumers	Skin contact	Long-term local ef- fects	0,95 µg/cm2	
		Consumers	Skin contact	Acute systemic ef- fects	3,30 mg/kg bw/day	
		Consumers	Inhalation	Long-term systemic effects	11,70 mg/m3	
		Workers	Inhalation	Acute systemic ef- fects	19,60 mg/m3	
		Workers	Inhalation	Acute local effects	19,60 mg/m3	
		Workers	Inhalation	Long-term systemic effects	19,60 mg/m3	
		Workers	Inhalation	Long-term local ef- fects	19,60 mg/m3	
		Workers	Skin contact	Acute systemic ef- fects	5,60 mg/kg bw/day	
		Workers	Skin contact	Acute local effects	1,60 µg/cm2	
		Workers	Skin contact	Long-term systemic effects	5,60 mg/kg bw/day	
		Workers	Skin contact	Long-term local ef- fects	1,60 µg/cm2	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bisphenol-F epoxy resin MW <700	Fresh water	0,003 mg/l
	Fresh water sediment	0,294 mg/kg dry weight (d.w.)
	Intermittent use/release	0,0254 mg/l
	Sea sediment	0,0294 mg/kg dry weight (d.w.)
	Sea water	0,0003 mg/l
	Sewage treatment plant	10 mg/l
	Soil	0,237 mg/kg dry weight (d.w.)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l



# DisboXID 926 PHS Comp. A RAL7032

ersion 0	Revision Date: 05.12.2022	SDS Number: 6003242	Date of last issue Date of first issue	
		Fresh water s	sediment	1000 mg/kg dry weight (d.w.)
		Sea sedimen	t	100 mg/kg dry weight (d.w.)
		Intermittent u	se/release	0,193 mg/l
benzy	/l alcohol	Sewage treat	ment plant	39 mg/l
		Fresh water	•	1 mg/l
		Sea sedimen	t	0,527 mg/kg dr weight (d.w.)
		Sea water		0,1 mg/l
		Fresh water s	sediment	5,27 mg/kg dry weight (d.w.)
		Soil		0,456 mg/kg dr weight (d.w.)
		Intermittent u	se/release	2,3 mg/l
	-butylphenyl 1-(2,3- /)propyl ether	Fresh water		7,5 μg/l
		Soil		11,4 mg/kg dry weight (d.w.)
		Fresh water s	sediment	33,54 mg/kg dry weight (d.w.)
		Sewage treat	ment plant	100 mg/l
		Sea water	·	0,75 μg/l
		Sea sedimen	t	3,354 mg/kg dry weight (d.w.)
		Intermittent u	se/release	75 µg/l

### 8.2 Exposure controls

<b>Personal protective equipme</b> Eye/face protection	ent :	
		Tightly fitting safety goggles
	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Use appropriate degowning techniques to remove potentially contaminated clothing. Additional body garments should be used based upon the



## DisboXID 926 PHS Comp. A RAL7032

Version 3.0	Revision Date: 05.12.2022	SDS Number: 6003242	Date of last issue: 17.06.2021 Date of first issue: 10.12.2019
			rmed (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. othing
			otection according to the amount and con- dangerous substance at the work place.
		Skin should be v	vashed after contact.
Respir	atory protection	used under cond	n or brushing: This product should not be ditions of poor ventilation unless a protective propriate gas filter (i.e. type A1 according to 387) is used.
		DGUV Regulation	on 112-190 - Use of breathing equipment
		• • • • •	olication: Do not breathe spray dust. Use on filter for paint spraying.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	86 °C
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	6,5 (20 °C) Concentration: 100 %

Viscosity



## DisboXID 926 PHS Comp. A RAL7032

Vers 3.0	sion	Revision Date: 05.12.2022		9 <b>S Number:</b> 03242	Date of last issue: 17.06.2021 Date of first issue: 10.12.2019
Viscosity, dynamic		:	4.000 mPa.s (20	°C)	
	Vis	cosity, kinematic	:	> 20,5 mm2/s (4	0 °C)
Solubility(ies) Water solubility			:	partly miscible	
		on coefficient: n- ol/water	:	not determined	
	Vapor	pressure	:	0,01 hPa	
	Densit	у	:	1,63 g/cm3	
	Relativ	ve vapor density	:	not determined	
9.2 (		nformation			
	Oxidiz	ing properties	:	Not applicable	
	Flamm	nability (liquids)	:	The product is n	ot flammable.
	Evapo	ration rate	:	Not applicable	

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions				
Hazardous reactions	: Hazardous decomposition products formed under fire condi- tions.			
10.4 Conditions to avoid				
Conditions to avoid	: Protect from frost, heat and sunlight.			
10.5 Incompatible materials				
Materials to avoid	: Incompatible with acids.			

Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.



## DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity					
Not classified based on availa	ble information.				
Product:					
Acute oral toxicity	: Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method				
Acute inhalation toxicity	: Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method				
Components:					
benzyl alcohol:					
Acute oral toxicity	: LD50 (Rat, male and female): 1.230 mg/kg				
Skin corrosion/irritation					
Causes skin irritation.					
Serious eye damage/eye irri	itation				
Causes serious eye irritation.					
Components:					
benzyl alcohol:					
Species	: Rabbit				
Assessment	: Irritating to eyes.				
Respiratory or skin sensitiz	ation				
Skin sensitization					
May cause an allergic skin rea	action.				
<b>Respiratory sensitization</b>					
Not classified based on availa	ble information.				
Germ cell mutagenicity					
Not classified based on availa	ble information.				
Carcinogenicity					
Not classified based on availa	ble information.				
Reproductive toxicity					
Not classified based on availa	ble information.				



## DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **Further information**

#### Product:

Remarks

: Although the product only contains epoxy resins with high molecular weight, follow good industrial hygiene practice and avoid prolonged skin contact.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

#### **Components:**

### oxirane, mono[(C12-14-alkyloxy)methyl] derivs.:

Partition coefficient: n-	:	log Pow: 3,77
octanol/water		Method: OECD Test Guideline 107

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:



## DisboXID 926 PHS Comp. A RAL7032

Assessment		This substance/mixture contains no components cons to be either persistent, bioaccumulative and toxic (PB very persistent and very bioaccumulative (vPvB) at lev 0.1% or higher.				
12.6 Endocrine disrupting properties						
<u>Product:</u> Assessment		The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.				
erse effects						
ecological infor-	:		organisms, may cause long-term adverse atic environment.			
	e disrupting prop	e disrupting propertie nt :	to be either persis very persistent ar 0.1% or higher. e disrupting properties nt : The substance/m ered to have endo REACH Article 57 (EU) 2017/2100 of levels of 0.1% or verse effects ecological infor- : Toxic to aquatic of			

13.1 Waste treatment methous		
Product	:	Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADN	:	NA 3082
ADR	:	NA 3082
RID	:	NA 3082
IMDG	:	NA 3082



# DisboXID 926 PHS Comp. A RAL7032

Version 3.0	Revision Date: 05.12.2022		OS Number: 03242	Date of last issue: 17.06.2021 Date of first issue: 10.12.2019	
ΙΑΤΑ	Δ	:	NA 3082		
	proper shipping name	•	10/0002		
ADN		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700)		
ADR		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700)		
RID			ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700)		
IMDG		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUE N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700)		
ΙΑΤΑ		:		nazardous substance, liquid, n.o.s. propoxi)phenyl]propane, bisphenol-F epoxy	
14.3 Transport hazard class(es)					
			Class	Subsidiary risks	
ADN	l	:	9		
ADR	ł	:	9		
RID		:	9		
IMD	G	:	9		
ΙΑΤΑ	4	:	9		
14.4 Pac	king group				
Clas Haza Labe Pacl Clas Haza Labe	king group sification Code ard Identification Number els king group sification Code ard Identification Number		III M6 90 9 III M6 90 9 9 (-)		



## DisboXID 926 PHS Comp. A RAL7032

Version 3.0	Revision Date: 05.12.2022		OS Number: 03242	Date of last issue: 17.06.2021 Date of first issue: 10.12.2019
Class	ng group ification Code d Identification Number s	:	III M6 90 9	
IMDG Packin Labels EmS	ng group s	:	III 9 F-A, S-F	
Packii aircra Packii	ng instruction (LQ) ng group	:	964 Y964 III Miscellaneous	
Packii ger ai Packii	ng instruction (LQ) ng group	:	964 Y964 III Miscellaneous	
14.5 Envir	onmental hazards			
	onmentally hazardous	:	yes	
	onmentally hazardous	:	yes	
<b>RID</b> Enviro	onmentally hazardous	:	yes	
<b>IMDG</b> Marin	e pollutant	:	yes	
	(Passenger) onmentally hazardous	:	yes	
	(Cargo) onmentally hazardous	:	yes	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



## DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

### **SECTION 15: Regulatory information**

15.1 Safety, health and environm ture	ental regulations/legislation	specific for the substance or mix-	
REACH - Restrictions on the n the market and use of certain of mixtures and articles (Annex X	langerous substances,	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
REACH - Candidate List of Su Concern for Authorization (Arti		This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.	
Regulation (EC) No 1005/2009 plete the ozone layer	on substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu- :	Not applicable	
REACH - List of substances su (Annex XIV)	ubject to authorisation :	None	
Seveso III: Directive 2012/18/EU of the Euro- E2 ENVIRONMENTAL HAZARDS pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			
Water hazard class (Germa-	: 2 significantly water	endangering	
ny) Product code for laquers and paints / Giscode	: RE1 Epoxy resin products	s, solvent-free, sensitising	
	: RE30 Epoxy resin produc	ts, sensitising, totally solid	
Volatile organic compounds	: <4% <10g/l		

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.



## DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

#### **SECTION 16: Other information**

Full text of H-Statements			
H302	:	Harmful if swallowed.	
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H319	:	Causes serious eye irritation.	
H332	:	Harmful if inhaled.	
H351	:	Suspected of causing cancer if inhaled.	
H411	:	Toxic to aquatic life with long lasting effects.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Carc.	:	Carcinogenicity	
Eye Irrit.	:	Eye irritation	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitization	
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials	
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.	
DE TRGS 527 / BM	:	Assessment scale	
DE TRGS 900 / AGW	:	Time Weighted Average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% orgowith rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory in C50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concornic Concornic Co-operation and Development; OPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative

#### **Further information**

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet: ECHA WebSite



## DisboXID 926 PHS Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 17.06.2021
3.0	05.12.2022	6003242	Date of first issue: 10.12.2019

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the	mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN