according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### **DisboSEAL 271 Grau**

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DisboSEAL 271 Grau

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Sealant

stance/Mixture

Recommended restrictions

on use

: within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Disbon GmbH

Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone : +496154710 Telefax : +4961547170222

Website

E-mail address Responsi-

ble/issuing person

: msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### **DisboSEAL 271 Grau**

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing should not be allowed

out of the workplace.

P280 Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

### Hazardous ingredients which must be listed on the label:

trimethoxyvinylsilane N-(3-(trimethoxysilyl)propyl)ethylenediamine octhilinone (ISO)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

- Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
trimethoxyvinylsilane	2768-02-7	Flam. Liq. 3; H226	>= 1 - < 10
	220-449-8	Acute Tox. 4; H332	
	014-049-00-0	Skin Sens. 1B; H317	
	01-2119513215-52		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 0,1 - < 1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]  N-(3- (trimethoxysi- lyl)propyl)ethylenediamine methanol	236-675-5 022-006-00-2 01-2119489379-17 1760-24-3 217-164-6 01-2119970215-39 67-56-1 200-659-6 603-001-00-X 01-2119433307-44, 01-2119392409-28, 01-2120762095-54	Acute Tox. 4; H332 Eye Dam. 1; H318 Skin Sens. 1; H317 Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 STOT SE 1; H370  specific concentration limit STOT SE 1; H370 >= 10 % STOT SE 2; H371 3 - < 10 %	>= 0,1 - < 1 >= 0,1 - < 1
octhilinone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-2120768921-45	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100  specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %  Acute toxicity estimate  Acute oral toxicity: 125 mg/kg Acute inhalation toxicity (dust/mist): 0,27 mg/l	>= 0,0002 - < 0,0015

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

Acute dermal toxicity: 311 mg/kg

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.

If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area. First aider needs to protect himself.

If inhaled : Move to fresh air.

In case of skin contact : Do NOT use solvents or thinners.

In case of contact, immediately flush skin with soap and plenty

of water.

In case of eye contact : If eye irritation persists: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If swallowed : Seek medical advice.

Clean mouth with water and drink afterwards plenty of water.

If swallowed, DO NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

None known.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### **DisboSEAL 271 Grau**

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

In case of fire hazardous decomposition products may be

produced such as:

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

#### 5.3 Advice for firefighters

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not get in eyes, on skin, or on clothing.

#### 6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Methanol is given off during processing and by reaction with

water

Use ventilation adequate to keep exposures below recommended exposure limits. See the Material Safety Data Sheet.

In addition, the current technical information for this product and its application on www.caparol.com must be observed.

Hygiene measures : Wash hands before eating, drinking, or smoking. Do not eat,

drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating

areas.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store at room temperature in the original container. Containers which are opened must be carefully resealed and kept

upright to prevent leakage.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline

materials.

Storage class (TRGS 510) : 10

7.3 Specific end use(s)

Specific use(s) : This information is not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  AGW (Alveolate fraction)  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar dust fraction)  BM (Alveolar dust fraction)  DE TRGS 10,5 mg/m3	Components	CAS-No.	Value type (Form	Control parameters	Basis
powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]   Peak-limit category: 2;(II)   Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child   AGW (Alveolate fraction)   AGW (Alveolate fraction)   Titanium dioxide)   Peak-limit category: 2;(II)   Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child   BM (Alveolar   0,5 mg/m3   DE TRGS   DE TRGS			of exposure)		
taining 1 % or more of particles with aerodynamic diameter ≤ 10 μm]  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  AGW (Alveolate fraction)  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS		13463-67-7			
more of particles with aerodynamic diameter ≤ 10 μm]  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  AGW (Alveolate fraction)  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS			fraction)	(Titanium dioxide)	900
with aerodynamic diameter ≤ 10 μm]  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  AGW (Alveolate fraction)  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS					
diameter ≤ 10 μm]  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  AGW (Alveolate   1,25 mg/m3   DE TRGS   fraction) (Titanium dioxide) 900  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar   0,5 mg/m3   DE TRGS					
Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  AGW (Alveolate   1,25 mg/m3   DE TRGS   fraction) (Titanium dioxide) 900  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar   0,5 mg/m3   DE TRGS	with aerodynamic				
Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  AGW (Alveolate fraction)  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS	diameter ≤ 10 µm]				
tolerance values, there is no risk of harming the unborn child  AGW (Alveolate   1,25 mg/m3   DE TRGS   fraction) (Titanium dioxide) 900  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar   0,5 mg/m3   DE TRGS					
AGW (Alveolate fraction)  Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS					nd biological
fraction) (Titanium dioxide) 900   Peak-limit category: 2;(II)     Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child     BM (Alveolar   0,5 mg/m3   DE TRGS		tolerance valu	es, there is no risk o	of harming the unborn child	
Peak-limit category: 2;(II)  Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS			AGW (Alveolate	1,25 mg/m3	DE TRGS
Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS			fraction)	(Titanium dioxide)	900
tolerance values, there is no risk of harming the unborn child  BM (Alveolar 0,5 mg/m3 DE TRGS		Peak-limit category: 2;(II)			
BM (Alveolar 0,5 mg/m3 DE TRGS		Further information: When there is compliance with the OEL and biological			
		tolerance values, there is no risk of harming the unborn child			
dust fraction) 527			BM (Alveolar	0,5 mg/m3	DE TRGS
			dust fraction)		527
methanol 67-56-1 TWA 200 ppm 2006/15/EC	methanol	67-56-1	TWA	200 ppm	2006/15/EC
260 mg/m3					
Further information: Indicative, Identifies the possibility of significant uptake					
through the skin					
AGW 100 ppm DE TRGS			AGW	100 ppm	DE TRGS
130 mg/m3 900					900
Peak-limit category: 2;(II)					
Further information: Skin absorption, When there is compliance with the OEL					
and biological tolerance values, there is no risk of harming the unborn child					
octhilinone (ISO) 26530-20-1 AGW (Inhalable 0,05 mg/m3 DE TRGS	octhilinone (ISO)	26530-20-1	AGW (Inhalable	0,05 mg/m3	DE TRGS
fraction) 900	,		fraction)		900
Peak-limit category: 2;(I)		Peak-limit category: 2;(I)			
Further information: Skin absorption, When there is compliance with the OEL		Further information: Skin absorption, When there is compliance with the OEL			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

and biological tolerance values, there is no risk of harming the unborn child

### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
methanol	67-56-1	Methanol: 15 mg/l (Urine)	In case of long- term exposure: after more than one shift, Immedi- ately after expo- sure or after work- ing hours	TRGS 903

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	<u> </u>		<u> </u>	
Substance name	End Use	Routes of expo- sure	Potential health effects	Value
trimethoxyvinylsilane	Consumers	Skin contact	Long-term systemic effects	0,30 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,30 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	26,90 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,04 mg/m3
	Consumers	Inhalation	Acute systemic effects	93,40 mg/m3
	Workers	Inhalation	Long-term systemic effects	4,90 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,69 mg/kg bw/day
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
-	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
N-(3- (trimethoxysi- lyl)propyl)ethylenedia mine	Consumers	Ingestion	Long-term systemic effects	2,50 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	2,50 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,70 mg/m3
	Consumers	Inhalation	Acute systemic effects	8,70 mg/m3
	Consumers	Skin contact	Acute systemic effects	17,00 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	35,30 mg/m3
	Workers	Inhalation	Long-term systemic	35,30 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

	1		effects	
	Workers	Skin contact	Acute systemic ef- fects	5,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	5,00 mg/kg bw/day
methanol	Consumers	Inhalation	Acute systemic effects	50,00 mg/m3
	Consumers	Skin contact	Long-term systemic effects	8,00 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	50,00 mg/m3
	Consumers	Skin contact	Acute systemic ef- fects	8,00 mg/kg bw/day
	Consumers	Inhalation	Acute local effects	50,00 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50,00 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	260,00 mg/m3
	Workers	Inhalation	Acute local effects	260,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	260,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	260,00 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	40,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	40,00 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
trimethoxyvinylsilane	Intermittent use/release	3,4 mg/l
	Sea sediment	0,12 mg/kg dry weight (d.w.)
	Fresh water sediment	1,24 mg/kg dry weight (d.w.)
	Soil	0,052 mg/kg dry weight (d.w.)
	Fresh water	0,34 mg/l
	Sewage treatment plant	110 mg/l
	Sea water	0,034 mg/l
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

		weight (d.w.)
	Intermittent use/release	0,193 mg/l
N-(3- (trimethoxysi- lyl)propyl)ethylenediamine	Fresh water sediment	0,22 mg/kg dry weight (d.w.)
	Fresh water	0,062 mg/l
	Sewage treatment plant	25 mg/l
	Soil	0,0085 mg/kg dry weight (d.w.)
	Intermittent use/release	0,62 mg/l
	Sea water	0,0062 mg/l
	Sea sediment	0,022 mg/kg dry weight (d.w.)
methanol	Sea sediment	7,7 mg/kg dry weight (d.w.)
	Fresh water	20,8 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	77 mg/kg dry weight (d.w.)
	Intermittent use/release	1540 mg/l
	Sea water	2,08 mg/l
	Soil	3,18 mg/kg dry weight (d.w.)

#### 8.2 Exposure controls

Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection

Material : butyl-rubber Glove thickness : 0,3 mm Protective index : Class 3

Remarks : Before removing gloves clean them with soap and water.

Wear suitable gloves tested to EN374.

DGUV Regulation 112-195 - Use of protective gloves

Skin and body protection : Safety shoes

Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

Remove and wash contaminated clothing before re-use.

During spray application: impervious clothing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

Respiratory protection : When exceeding the WEL substance Limit a respiratory filter

Type A is necessary. Class 1 or 2 has to be chosen depend-

ing on the workplace concentration.

No personal respiratory protective equipment normally re-

quired.

During spray application: Do not breathe spray dust. Use

A2/P2 combination filter for paint spraying.

DGUV Regulation 112-190 - Use of breathing equipment

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : white

Odor : No data available

Odor Threshold : Not relevant

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point :  $> 150 \, ^{\circ}\text{C}$ 

Autoignition temperature : 430 °C

Decomposition temperature : Not applicable

pH : 6,95

Concentration: 10 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

Viscosity

Viscosity, dynamic : No data available

Solubility(ies)

Water solubility : partly miscible

Partition coefficient: n-

octanol/water

: not determined

Vapor pressure : not determined

Relative density : not determined

Density : 1,02 g/cm3

Relative vapor density : not determined

9.2 Other information

Explosives : Not applicable

Oxidizing properties : Not applicable

Flammability (liquids) : The product is not flammable.

Evaporation rate : Not applicable

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases.

Incompatible with oxidizing agents.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20000 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

**Components:** 

trimethoxyvinylsilane:

Acute inhalation toxicity : LC50 (Rat, male and female): 2773 ppm

Exposure time: 4 h Test atmosphere: gas

N-(3-(trimethoxysilyl)propyl)ethylenediamine:

Acute oral toxicity : LD50 (Rat, male and female): 2.295 mg/kg

Method: OPPTS 870.1100

Acute inhalation toxicity : LC50: 1,49 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

octhilinone (ISO):

Acute oral toxicity : Acute toxicity estimate: 125 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

Acute inhalation toxicity : Acute toxicity estimate: 0,27 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Acute dermal toxicity : Acute toxicity estimate: 311 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

Not classified based on available information.

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

octhilinone (ISO):

M-Factor (Acute aquatic tox- : 100

icity)

M-Factor (Chronic aquatic

toxicity)

100

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

### **Components:**

trimethoxyvinylsilane:

Partition coefficient: n- : log Pow: 1,1 (20 °C)

octanol/water pH: 7

N-(3-(trimethoxysilyI)propyI)ethylenediamine:

Partition coefficient: n- : log Pow: -3,3 (20 °C)

octanol/water pH: 7

methanol:

Partition coefficient: n- : log Pow: -0,77

octanol/water

octhilinone (ISO):

Partition coefficient: n- : log Pow: 2,61 (25 °C)

octanol/water pH: 7

12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### **DisboSEAL 271 Grau**

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : .

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recy-

cling.

Waste Code : used product

08 04 09, waste adhesives and sealants containing organic

solvents or other hazardous substances

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

dioctyltin oxide (Number on list 20)

REACH - Candidate List of Substances of Very High

Concern for Authorization (Article 59).

None

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



# DisboSEAL 271 Grau

Version **Revision Date:** SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

tants (recast)

REACH - List of substances subject to authorisation None

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Water hazard class (Germa- : WGK 1 slightly water endangering

Not applicable

Volatile organic compounds : <1%

< 10 g/l

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 Highly flammable liquid and vapor. H226 Flammable liquid and vapor.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

Causes severe skin burns and eye damage. H314

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

Fatal if inhaled. H330 Toxic if inhaled. H331 Harmful if inhaled. H332

H351 Suspected of causing cancer if inhaled.

H370 Causes damage to organs. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### Full text of other abbreviations

Acute Tox. Acute toxicity

Aquatic Acute Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aquatic Chronic

Carc. Carcinogenicity Eye Dam. Serious eye damage Flam. Liq. Flammable liquids

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### DisboSEAL 271 Grau

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

Skin Corr. : Skin corrosion Skin Sens. : Skin sensitization

STOT SE : Specific target organ toxicity - single exposure 2006/15/EC : Europe. Indicative occupational exposure limit values DE TRGS 527 : Germany. TRGS 527 - Activities with nanomaterials

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values. TRGS 903 : TRGS 903 - Biological limit values

2006/15/EC / TWA : Limit Value - eight hours
DE TRGS 527 / BM : Assessment scale
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Conic Internation; IECSC - Inventy of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for Granization; IECSC - Inventy and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observed (Adverse) Effect Loading Ra

#### **Further information**

Other information

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation.

2014 ACGIH, Cincinnati OH

NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European

Communities

SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger-

man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the mixture:

Classification procedure:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



### **DisboSEAL 271 Grau**

Version Revision Date: SDS Number: Date of last issue: 13.10.2023 4.0 08.02.2024 6024671 Date of first issue: 11.03.2021

Skin Sens. 1 H317 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN